

8. REFERENCES

Acedo GN, Redei GP, Barry J, et al. 1981. Arabidopsis as a tool in detecting mutagens and carcinogens. Arabidopsis Information Service 146-149.

*ACGIH. 1992. 1992- 1993 Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental and Industrial Hygienists. Cincinnati, OH, 20.

*Adams EM, Spencer HC, Rowe VK, et al. 1950. Vapor toxicity of 1,1,1-trichloroethane (methylchloroform) determined by experiments on laboratory animals. Archives of Industrial Hygiene and Occupation Medicine 1:225-236.

Aggazzotti G, Predieri G. 1986. Survey of volatile halogenated organics (VHO) in Italy: Levels of VHO in drinking waters, surface waters and swimming pools. Water Research 20:959-963.

Aitio A, Pekari K, Jarvisalo J. 1984. Skin absorption as a source of error in biological monitoring. Scand J Work Environ Health 10:317-320.

Albano E, Tomasi A, Cheeseman KH, et al. 1985. Use of isolated hepatocytes for the detection of free radical intermediates of halogenated hydrocarbons. In: Proceedings of the Free Radicals Liver Injury International Meeting, 7-16.

*Albee RR, Mattsson JL, Beekman MJ, et al. 1990a. Acute motor activity of 1,1,1-trichloroethane in rats. Final report. The Dow Chemical Company, Midland, MI. Fiche #OTS533134. [Unpublished study]

*Albee RR, Mattsson JL, Beekman MJ, et al. 1990b. Acute neurophysiologic effects of 1,1,1-trichloroethane in rats. Final report. The Dow Chemical Company, Midland, MI. Fiche #OTS533 134. [Unpublished study]

Albee RR, Mattsson JL, Beekman MJ, et al. 1991. Determination of neurofunctional maximum tolerated dose in subchronic solvent neurotoxicity studies: 1,1,1-Trichloroethane example. In: Proceedings of the 30th Society of Toxicology Annual Meeting, Dallas, TX, February 25 to March 1, 1991. Society of Toxicology, Washington DC.

*Albrecht WN. 1980. Technical assistance report TA80-48. Chemical Recovery Systems, Inc., Elyria, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH-HE/TA-80-48. NTIS PB81-167926.

*Alles G, Bauer U, Selenka F. 1988. [Volatile organic chlorinated compounds in human tissue.] Zentralbl Bakteriol Mikrobiol Hyg [B] 186:233-246. (German)

*Almaguer D. 1985. Health hazard evaluation: Report HETA 83-275-1394. Kautt and Bux Manufacturing, Mundelein, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB85-179299.

Almaguer D. 1986. Health hazard evaluation: Report HETA 84-319-1649. Pioneer Ministries, Wheaton, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB86-223070.

*Cited in text

8. REFERENCES

- *Althaus FR, Lawrence SD, Sattler GL, et al. 1982. Chemical quantification of unscheduled DNA synthesis in cultured hepatocytes as an assay for the rapid screening of potential chemical carcinogens. *Cancer Res* 42:3010-3015.
- *Althoff WF, Cleary RW, Roux PH. 1981. Aquifer decontamination for volatile organics: A casehistory. *Ground Water* 19:495-504.
- *Altshuller AP. 1979. Lifetimes of organic molecules in the troposphere and lower stratosphere. *Advances in Environmental Science and Technology* 10:181-219.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water. *J Appl Toxicol* 3:272-290.
- Anderson GE. 1983. Human exposure to atmospheric concentrations of selected chemicals: Volumes 1 and 2. Research Triangle Park, NC: Office of Air Quality, U.S. Environmental Protection Agency. NTIS PB84-102540.
- *Andersson-Skoeld Y, Grennfelt P, Pleijel K. 1992. Photochemical ozone creation potentials: a study of different concepts. *J Air Waste Manage Assoc* 42(9):1152-1158.
- Angerer J, Wulf H. 1985. Occupational chronic exposure to organic solvents. XI. Alkylbenzene exposure of varnish workers: Effects on hematopoietic system. *Int Arch Occup Environ Health* 56:307-321.
- Anonymous. 1975. Two solvents cleared as cancer threat. *Chemical and Engineering News* 53:7-8.
- Anonymous. 1976. Health effects assessment for 1,1,1-trichloroethane. [Editorial]. NTIS PB86-134111.
- Anonymous. 1979. 1,1,1-Trichloroethane. [Editorial]. *IARC* 20:515-531.
- Anonymous. 1986. Drinking water criteria document for 1,1,1-trichloroethane. NTIS PB86-118130. [Draft].
- Anonymous. 1989. Pharmacokinetics in risk assessment: Drinking water and health. Volume 8. NTIS/PB89-2033 19.
- *Antoine SR, Deleon IR, Ildefonso R, et al. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.
- *Apol A, Singal M. 1979. Health hazard evaluation: Determination report 78-96-595. Samsonite, Inc., Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-148141.
- *Apol AG, Helgersson SD. 1983. Health hazard evaluation: Report HETA 83-014-1343. North Clackamas School District No. 12, Milwaukie, OR. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- *Aranyi C, O'Shea WJ, Graham JA, et al. 1986. The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6:713-720.
- *Archer WL. 1979. Other chloroethanes. In: Kirk-Othmer encyclopedia of chemical technology, Vol. 5, 3rd ed. New York: John Wiley & Sons Inc., 722- 742.

8. REFERENCES

- *Arthur CL, Pratt K, Motlach S, et al. 1992. Environmental analysis of organic compounds in water using solid-phase microextraction. *J High Resolut Chromatogr* 15(11):741-744.
- *Arvin E. 1991. Biodegradation kinetics of chlorinated aliphatic hydrocarbons with methane oxidizing bacteria in an aerobic fixed biofilm reactor. *Water Res WATRAG* 25(7):873-881.
- Ashby J, Kilbey B. 1981. Summary report on the performance of bacterial repair, phage induction, degranulation, and nuclear enlargement assays. *Mutat Res* 1:33-48.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64:1021-1029.
- Astrand I. 1975. Uptake of solvents in the blood and tissues of man: A review. *Stand J Work Environ Health* 1:199-218.
- *Astrand I, Kilbom A, Wahlberg I, et al. 1973. Methylchloroform exposure: I. Concentration in alveolar air and blood at rest and during exercise. *Work Environ Health* 10:69-81.
- *Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85:69-201.
- *ATSDR. 1988. Health assessment for Vestal water supply well I-I, Town of Vestal, New York Region 2. CERCLIS NO. NYD980763767. Agency for Toxic Substances and Disease Registry. Atlanta, G A . PB90-140062.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- *Aviado DM, Zakhari S, Simaan JA, et al. 1976. Methyl chloroform and trichloroethylene in the environment. Cleveland, OH: CRC Press, 3-16.
- Baerg RD, Kimberg DV. 1970. Centrilobular hepatic necrosis and acute renal failure in 'solvent sniffers.' *Ann Intern Med* 73:713-720.
- *Bailey RE, Crain RM, Goergen MG. 1982. Cleanup and monitoring procedures for a methylene chloride and 1,1,1-trichloroethane spill at Sault Ste. Marie, Michigan. In: *Proceedings of Hazardous Material Spills Conference*, 28-36.
- *Baker RSU, Bonin AM. 1981. Study of 42 coded compounds with the Salmonella/mammalian microsome assay. *Mutat Res* 1:249-260.
- *Balfour WD, Wetherold RG, Lewis DL. 1985. Evaluation of air emissions from hazardous waste treatment, storage, and disposal facilities. Washington, DC: U.S. Environmental Protection Agency. EPA 600/S2-85-057. NTIS PB84-203792.
- *Balster RL, Moser VC, Woolverton WL. 1982. Concurrent measurement of solvent vapor concentrations and effects on operant behavior using a dynamic exposure system. *J Pharmacol Methods* 8:299-309.
- Bamberger RL, Esposito GG, Jacobs BW, et al. 1978. A new personal sampler for organic vapors. *Am Ind.Hyg Assoc J* 39:701-708.
- Banathy LJ, Chan LTF. 1983. Fatality caused by inhalation of liquid paper correction fluid. *Med J Aust* 2:606.

8. REFERENCES

- Barale R, Presciuttini S, Rossi AM. 1979. [Schizosaccharomyces pombe: Forward mutation]. Environmental Mutagenesis Method Analysis 1: 105- 121. (Italian)
- Barbash J, Roberts PV. 1986. Volatile organic chemical contamination of groundwater resources in the U.S. J Water Pollut Control Fed 58:343-348.
- *Barker JF. 1987. Volatile aromatic and chlorinated organic contaminants in groundwater at six Ontario landfills. Water Pollution Research Journal of Canada 22:33-48.
- *Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment. A multimedia environmental study. Biomed Mass Spectrom 7: 139-147.
- Barlow SM, Sullivan FM. 1982. Reproductive hazards of industrial chemicals. London: Academic Press Ltd., 610.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- *Barrows ME, Petrocelli SR, Macek KJ, et al. 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (Lepomis macrochirus). In: Dyn. Exposure Hazard Assess Toxic Chem. Ann Arbor, MI: Ann Arbor Science, 379-392.
- *Barth EF, Bunch RL. 1979. Biodegradation and treatability of specific pollutants. Cincinnati, OH: Municipal Environmental Research Laboratory, U.S. Environmental Protection Agency. EPA-600/9-79-034.
- *Bass M. 1970. Sudden sniffing death. JAMA 212:2075-2079.
- *Battelle Labs. 1977. Multimedia levels Methylchloroform. Battelle Labs, Columbus, OH. EPA 560/6-77-030. NTIS PB281892.
- Bauer U. 1981. [Human exposure to environmental chemicals: Investigations of volatile organic halogenated compounds in water air food and human tissues. IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment.] Zentralbl Bakteriol [Orig B] 174:556-583. (German)
- Bayer CW, Black MS. 1987. Capillary chromatographic analysis of volatile organic compounds. J Chromatogr Sci 25:60-64.
- Bayer CW, Black MS, Galloway LM. 1988. Sampling and analysis techniques for trace volatile organic emissions from consumer products. J Chromatogr Sci 26:168-173.
- Benowitz NL. 1992. Cardiotoxicity in the workplace. Occupational Medicine²State of the Art Review 7:465-478.
- *Benson EN, Hunter JV. 1977. Comparative effects of halogenated hydrocarbon solvents on waste disposal processes. In: Proceedings of the Industrial Waste Conference 31:614-627.
- Berg S, Jacobsson S, Nilsson B. 1980. Evaluation of an evacuated glass sampler for the analysis of volatile organic compounds in ambient air. J Chromatogr Sci 18: 171-179.
- Bernard AM, De Russis R, Normand JC, et al. 1989. Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. Toxicol Lett 45:271-280.

8. REFERENCES

- Berode M, Boillat MA, Guillemin MP, et al. 1990. Demethylation pathways in caffeine metabolism as indicators of variability in 1,1,1-trichloroethane oxidation in man. *Pharmacol Toxicol* 67:41-46.
- *Bianchi AP, Varney MS. 1993. Sampling and analysis of volatile organic compounds in estuarine air by gas chromatography and mass spectrometry. *J Chromatogr* 643(1):11-23.
- Bidart M, Cochevelou P, Clair P. 1990. [Determination of urinary metabolites for assessment of possible exposure to organic solvents.] *Trav Sci Chercheurs Serv Sante Armees*, 105106. (French)
- Bio/Dynamics Inc. 1987. 8e Submission. An acute inhalation study of 1,1,1-trichloroethane in the rat with cover letters dated 4/3/87, 4/22/87, and 9/24/8. Submitted by ICI Americas Inc. U.S. EPA/OPTS Public Files, Washington, DC. Fiche #OTS050971 1-3. [Unpublished study]
- Blanchard RD, Hardy JK. 1986. Continuous monitoring device for the collection of 23 volatile organic priority pollutants. *Anal Chem* 58:1529-1532.
- Blohm M, Braun H, Kaschny P, et al. 1985. Subacute toxicity of 1,1,1-trichloroethane, noise, and their combination in rats. *Ecotoxicol Environ Safety* 10:295-301.
- *Bogen KT, Hall LC 1989. Pharmacokinetics for regulatory risk analysis: The case of 1,1,1-trichloroethane (methyl chloroform). *Regul Toxicol Pharmacol* 10:26-50.
- *Boiano JM, Burroughs GE. 1980. Health hazard evaluation: Determination report HE 80-45-688. U.S. Precision Lens, Inc., Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-211543.
- Bolt HM, Filser JG, Wiegand M, et al. 1980. Studies on liver microsomal metabolism and interaction of vinyl chloride and related compounds in relation to possible carcinogenicity. In: *Proceedings of the Occupational Health Conference* 1:369-377.
- *Bornan A. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (V): Effect of "accelerants." *Contact Dermatitis* 21:304-311.
- *Bornan A, Blute I, Femstrom P, et al. 1989. Percutaneous absorption of 4 organic solvents in the guinea-pig (II): Effect of surfactants. *Contact Dermatitis* 21:92-104.
- *Bornan A, Mellstrom G. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (III): Effect of barrier creams. *Contact Dermatitis* 21:134-140.
- *Bornan A, Mellstrom G. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (IV): Effect of protective gloves. *Contact Dermatitis* 21:260-266.
- *Bornan A, Wahlberg JE. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (I): Effect of physical and chemical injuries to the skin. *Contact Dermatitis* 21:36-45.
- *Bonnet P, Francin JM, Gradiski D, et al. 1980. Determination of the median lethal concentration of principle chlorinated aliphatic hydrocarbons in the rat. *Arch Mal Prof* 41:317-321.
- Borm PJA, Barbanson B. 1988. Bias in biologic monitoring caused by concomitant medication. *J Occup Med* 30:214-223.
- Borzelleca JF, Carchman RA. 1982. Effects of selected organic drinking water contaminants on male reproduction. NTIS PB82-259847.

8. REFERENCES

- *Boublik T, Fried V, Hala E. 1984. The vapor pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. Vol. 17. Amsterdam: Elsevier Science Publications.
- Bouwer EJ. 1985. Secondary utilization of trace halogenated organic compounds in biofilms. *Environmental Progress* 4:43-46.
- Bouwer EJ, McCarty PL. 1982. Removal of trace chlorinated organic compounds by activated carbon and fixed film bacteria. *Environmental Science and Technology* 16:836-843.
- *Bouwer EJ, McCarty PL. 1983a. Transformation of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. *Appl Environ Microbiol* 45: 1286- 1294.
- *Bouwer EJ, McCarty PL. 1983b. Transformation of halogenated organic compounds under dinitrification conditions. *Appl Environ Microbiol* 45:1295- 1299.
- *Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. *Ground Water* 22:433-440.
- Bouwer EJ, McCarty PL, Bouwer H, et al. 1984. Organic contaminant behavior during rapid infiltration of secondary wastewater at the Phoenix 23rd Avenue project. *Water Research* 18:463-472.
- Bouwer EJ, McCarty PL, Lance JC. 1981. Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. *Water Research* 15: 151- 159.
- Bouwer EJ, Rittman B, McCarty PL. 1981. Anaerobic degradation of halogenated 1- and 2-carbon organic compounds. *Environmental Science and Technology* 15:596-599.
- Bouwer EJ, Wright JP. 1988. Transformations of trace halogenated aliphatics in anoxic biofilm columns. *Journal of Contaminant Hydrology* 2:155-169.
- Boyer JD, Ahlert RC, Kosson DS. 1988. Pilot plant demonstration of in-situ biodegradation of 1,1,1-trichloroethane. *J Water Pollut Control Fed* 60: 1843- 1849.
- *Bozzelli JW, Kebbekus BB. 1979. Analysis of selected volatile organic substances in ambient air. Final report Apr-Nov 1978. New Jersey Institute of Technology, Newark, NJ.
- Bozzelli JW, Kebbekus BB, Greenburg A. 1980. Analysis of selected toxic and carcinogenic substances in ambient air in New Jersey. State of New Jersey, Department of Environmental Protection.
- *Briggs T, Garrison R. 1982. Industrial hygiene sampling survey report of Arco Solar, Inc., Chatsworth, California. NTIS PB82-112145.
- Brodzinsky R, Singh HB. 1982. Volatile organic chemicals in the atmosphere: An assessment of available data. Menlo Park, CA: Atmospheric Science Center, SRI International.
- *Broholm K, Christensen TH, Jensen BK. 1991. Laboratory feasibility studies on biological in-situ treatment of a sandy soil contaminated with chlorinated aliphatics. *Environ Technol* 12(3):279-289.
- *Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 143-144.
- Brookes P, Preston RJJ. 1981. Summary report on the performance of in vitro mammalian assays. *Mutat Res* 1:77-85.

8. REFERENCES

- *Brooks TM Dean BJ. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay with preincubation. *Mutat Res* 1:261-270.
- Brown HS, Bishop DR, Rowan CA. 1984. The role of skin absorption as a route of exposure for volatile organic compounds in drinking water. *Am J Public Health* 74:479-484.
- *Brown MS, Hart A. 1992. Reducing the use of ozone depleting chemicals: the Irvine California ordinance. *J Air Waste Manage Assoc* 42(4):429-432.
- *BRRC. 1987a. Developmental toxicity study of inhaled 1,1,1-trichloroethane in CD (Sprague-Dawley) rats. Project report 50-517. Bushy Run Research Center, Export, PA.
- *BRRC. 1987b. Developmental toxicity study of inhaled 1,1,1-trichloroethane in New Zealand white rabbits. Project report 50-517. Bushy Run Research Center, Export, PA.
- *Bruckner JV. 1983. Findings of toxicological studies of 1,1,1-trichloroethane. Progress report. U.S. EPA Cooperative Agreement 807449.
- Bruckner JV, Muralidhara S, MacKenzie WF, et al. 1985. Acute and subacute oral toxicity studies of 1,1,1-trichloroethane (TRI) in rats [Abstract]. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22. Washington, DC: Society of Toxicology.
- *Buchardt O, Manscher OH. 1978. On photochemical degradation of methylchloroform under atmospheric conditions. In: Proceedings of the 2nd Environmental Research Programme 1976-80 of the Commission of European Communities Meeting, 17-22.
- *Budavari S, O'Neil MJ, Smith A, et al. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed., Rahway, NJ: Merck and Co., Inc., 321, 977.
- Burkatskaya EN, Tsapko VG, Khokholkova GA, et al. 1973. Sanitary and hygienic characteristics of the working conditions during use of methyl chloroform for cleaning electrical equipment. *Gig Tr Prof Zabol* 17:41-42.
- *Burmaster DE. 1982. The new pollution-groundwater contamination. *Environment* 24:6-13, 33-36.
- Burrough GE. 1980. Health hazard evaluation: Report HE 79-38-624. Dover Molded Products, Inc., Dover, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-193022.
- Bursey JT, Pellizzari ED: 1982. Analysis of industrial wastewater for organic pollutants in consent decree survey. Environmental Research Lab, U.S. Environmental Protection Agency, Athens, GA.
- Burton RM, Suggs JC, Jungers RH, et al. 1987. The New York City bus terminal diesel emissions study: Measurement and collection of diesel exhaust for chemical characterization and mutagenic activity. In: Proceedings of the Air Pollution Control Association Annual Meeting 1:87/1.7.
- *Butler R, Solomon IJ, Snelson A. 1978. Rate constants for the reaction of OH with halocarbons in the presence of O₂ + N₂. *J Air Pollut Control Fed* 28:1131-1133.
- *Calhoun, LL, Lomax LG, Phillips JE. 1988. 8d Submission. An acute vapor inhalation study in Fischer-344 rats using Aerothene TT with cover letter dated 3/22/88. Submitted by Dow Chemical Co. U.S. EPA/OPTS. Public Files, Washington, DC. Fiche #OTS0514062. [Unpublished study]
- *Calhoun, LL, Quast FJ, Schumann AM, et al. 1981. Chloroethene VG: Preliminary studies to establish exposure concentrations for a chronic inhalation study with rats and mice. Toxicology Research Laboratory, Health and Environmental Sciences, The Dow Chemical Company, Midland, MI.

8. REFERENCES

- *Caperos JR, Droz PO, Hake CL, et al. 1982. 1,1,1-Trichloroethane exposure, biologic monitoring by breath and urine analyses. *Int Arch Occup Environ Health* 49:293-304.
- *Caplan YH, Backer RC, Whitaker JQ. 1976. 1,1,1-Trichloroethane: Report of a fatal intoxication. *Clin Toxicol* 9:69-74.
- Carchman R, Davidson IWF, Greenberg MM, et al. 1984. Health assessment document for 1,1,1-trichloroethane (methyl chloroform). Research Triangle Park: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA 600/8-82-003F. NTIS PB84-183565.
- *Cardinali FL, McGraw JM, Ashley DL, et al. 1994. Production of blank water for the analysis of volatile organic compounds in human blood at the low parts-per-trillion level. *J Chromatogr Sci* 32(1):41-45.
- *Carlson GP. 1973. Effect of phenobarbital and 3-methylcholanthrene pretreatment on the hepatotoxicity of 1,1,1-trichloroethane and 1,1,2-trichloroethane. *Life Sci [I]* 13:67-73.
- *Carlson GP. 1981. Effect of alterations in drug metabolism on epinephrine-induced cardiac arrhythmias in rabbits exposed to methylchloroform. *Toxicol Lett* 9:307-313.
- Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers a case-control study among workers at two nuclear facilities. *Am J Ind Med* 13:351-362.
- *Carroll GJ, Thumau RC, Lee JW, et al. 1992. Pilot-scale evaluation of an incinerability ranking system for hazardous organic compounds. *J Air Waste Manage Assoc* 42(11):1430-1436.
- *Carter RE Jr., Thomas MJ, Marotz GA, et al. 1992. Compound detection and concentration estimation by open-path Fourier transform infrared spectrometry and canisters under controlled field conditions. *Environ Sci Technol* 26(11):2175-2181.
- *CAS. 1993. Chemical Abstract Survey Registry File. January 27, 1993.
- *CAS. 1994. Chemical Abstract Service. Registry File. Online.
- *Casciola LAF, Ivanetich KM. 1984. Metabolism of chloroethanes by rat liver nuclear cytochrome P-450. *Carcinogenesis* 5:543-548.
- Caspary WJ, Daston DS, Myhr BC, et al. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: interlaboratory reproducibility and assessment. *Environ Mol Mutagen* 12(Suppl 13):195-229.
- *CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.
- *CELDS. 1992. Computer Aided Environmental Legislative Data System. February 1992.
- *CELDS. 1994. Computer-assisted Environmental Legislative Database. University of Illinois at Urbana.
- *Chang JS, Kaufman F. 1977. Kinetics of the reactions of hydroxyl radicals with some halocarbons: Dichlorofluoromethane, chlorodifluoromethane, trichloroethane, trichloroethylene, and tetrachloroethylene. *J Chem Phys* 66:4989-4994.
- Chang JS, Penner JE. 1978. Analysis of global budgets of halocarbons. *Atmos Environ* 12:1867-1874.

8. REFERENCES

- Chang LW, Pereira MA, Klaunig JE. 1985. Cytotoxicity of halogenated alkanes in primary cultures of rat hepatocytes from normal, partially hepatectomized, and preneoplastic/neoplastic liver. *Toxicol Appl Pharmacol* 80:274-283.
- Charbonneau M, Greselin E, Brodeur J, et al. 1991. Influence of acetone on the severity of the liver injury induced by haloalkane mixtures. *Can J Physiol Pharmacol* 69:1901-1907.
- *Chemical Marketing Reporter. 1986. Chemical profile: 1,1,1-Trichloroethane. January 20.
- *Chemical Marketing Reporter. 1989. Chemical profile: 1,1,1-Trichloroethane. January 30.
- *Chemical Marketing Reporter. 1992. Chemical profile: 1,1,1-Trichloroethane. January 27:42.
- *Chen XM, Dallas CE, Muralidhara S, et al. 1993. Analyses of volatile C2 haloethanes and haloethenes in tissues: Sample preparation and extraction. *J Chromatogr Biomed Appl* 61(2/2): 199-208.
- Chenoweth MB, Hake CL. 1962. The smaller halogenated aliphatic hydrocarbons. *Annu Rev Pharmacol* 2:363-398.
- *Cherry N, Venabies H, Waldron HA. 1983. The acute behavioral effects of solvent exposure. *J Sot Occup Med* 33:13-18.
- *Cheung HM, Bhatnagar A, Jansen G. 1991. Sonochemical destruction of chlorinated hydrocarbons in dilute aqueous solution. *Environ Sci Technol* 25(8):1510-1512.
- Cheyney AC. 1984. Experience with the co-disposal of hazardous waste with domestic waste. *Chem Ind* 17:609-615.
- *Chiou CT, Freed VH, Peters LJ, et al. 1980. Evaporation of solutes from water. *Environ Int* 3:231-236.
- *Chiou CT, Peters LJ, Freed VH. 1979. A physical concept of soil-water equilibria for nonionic organic compounds. *Science* 206:831-832.
- *Ciccioli P, Brancaleoni E, Cecinato A, et al. 1993. Identification and determination of biogenic and anthropogenic volatile organic compounds in forest areas of Northern and Southern Europe and a remote site of the Himalaya region by high-resolution gas chromatography-mass spectrometry. *J Chromatogr* 643(1):55-69.
- *Clark DG, Tinston DJ. 1973. Correlation of the cardiac sensitizing potential of halogenated hydrocarbons with their physicochemical properties. *Br J Pharmacol* 49:355-357.
- *Clark DG, Tinston DJ. 1982. Acute inhalation toxicity of some halogenated and nonhalogenated hydrocarbons. *Hum Toxicol* 1:239-247.
- *Clark RR, Zalikowski JA. 1990. Comparison of capillary and packed column analysis for volatile organics by GCMS. In: Friedman D, ed. *Waste testing and quality assurance. Special technical publication 1062 vol. 2*. Philadelphia, PA: American Society for Testing and Materials, 333-350.
- *Class T, Ballschmiter K. 1986. Chemistry of organic traces in air. VI: Distribution of chlorinated Cl-C4 hydrocarbons in air over the northern and southern Atlantic Ocean. *Chemosphere* 15:413-427.
- Cline PV, Viste DR. 1985. Migration and degradation patterns of volatile organic compounds. *Waste Management Research* 3:351-360.

8. REFERENCES

- *Cobb GD, Bouwer EJ. 1991. Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol* 25(6): 1068- 1074.
- *Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor-outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia USA. *JAPCA* 39:1086-1093.
- Cohen N, Benson SW. 1987. Transition-state-theory calculations for reactions of hydroxyl radicals with haloalkanes. *J Phys Chem* 91:162-170.
- Cohr KH. 1986. Uptake and distribution of common industrial solvents. In: Riihimaki V, Ulfvarson U, eds. *Progress in clinical and biological research*, 45-60.
- Colby BN, Beimer RG, Rushneck DR, et al. 1982. Priority pollutants in industrial effluents. *Int Environ Safety* (February):8-13.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the Nationwide Urban Runoff Program. *J Water Pollut Control Fed* 56:898-908.
- *Coleman EC, Ho C, Chang SS. 1981. Isolation and identification of volatile compounds from baked potatoes. *J Agric Food Chem* 29:42-48.
- *Comba ME, Kaiser KLE. 1985. Volatile halocarbons in the Detroit River and their relationship with contaminant sources. *Journal of Great Lakes Research* 11:404-418.
- Coniglio WA, Miller K, MacKeever D. 1980. The occurrence of volatile organics in drinking water. Criteria and Standards Division, Science and Technology Branch, Exposure Assessment Project.
- *Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. *Arch Environ Health* 30:290-295.
- *Connell DW, Braddock RD, Mani SV. 1993. Prediction of the partition coefficient of lipophilic compounds in the air-mammal tissue system. *Sci Total Environ* (Su):1383-1396.
- *Comish, HH, Adefuin J. 1966. Ethanol potentiation of halogenated aliphatic solvent toxicity. *Am Ind Hyg Assoc J* 27:57-61.
- *Comish HH, Ling BP, Barth ML. 1973. Phenobarbital and organic solvent toxicity. *Am Ind Hyg Assoc J* 34:487-492.
- Correia Y, Martens GJ, Van Mensch FH, et al. 1977. The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. *Atmos Environ* 11:1113-1116.
- *Corsi RL, Chang DPY, Schroeder ED, et al. 1987. Emissions of volatile and potentially toxic organic compounds from municipal wastewater treatment plants. In: *Proceedings of the Air Pollution Control Association Annual Meeting* 6:1-14.
- Cothem CR, Coniglio W, Marcus W. 1984. Techniques for the assessment of the carcinogenic risk to the U.S. population due to exposure from selected volatile organic compounds from drinking water via the ingestion, inhalation and dermal routes. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. NTIS PB84-213941.
- Cotruvo JA. 1985. Organic micropollutants in drinking water: An overview. *Sci Total Environ* 47:7-26.

8. REFERENCES

- *Cox RA, Derwent RG, Eggleton AEJ, et al. 1976. Photochemical oxidation of halocarbons in the troposphere. *Atmos Environ* 10:305-308.
- *Crebelli R, Benigni R, Franekic J, et al. 1988. Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: Unspecific or specific mechanism? *Mutat Res* 201:401-411.
- *Crebelli R, Carere A. 1987. Genotoxic activity of halogenated aliphatic hydrocarbons in *Aspergillus nidulans*. In: Asia-Pacific Symposium held at the ICMR Seminar. *Environmental and Occupational Toxicology* 8:437-442.
- *CRISP. 1992. U.S Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute for Environmental Health Science. October 21, 1992.
- *Cronn DR, Bamesberger WL, Koropalov VM. 1983. Abastumani Forest aerosol experiment (1979): Comparison to other nonurban halocarbons and nitrous oxide measurements. *Environmental Science and Technology* 17:383-388.
- Cronn DR, Rasmussen RA, Robinson E, et al. 1977. Halogenated compound identification and measurement in the troposphere and lower stratosphere. *Journal of Geophysical Research* 82:5935-5944.
- Crutzen PJ, Gidel LT. 1983. A two-dimensional photochemical model of the atmosphere. 2: The tropospheric budgets of the anthropogenic chlorocarbons, carbon monoxide, methane, chloromethane and the effect of various nitrogen oxides sources on the tropospheric ozone. *Journal of Geophysical Research*
- *Crutzen PJ, Isaken ISA, McAfee JR. 1978. The impact of the chlorocarbon industry on the ozone layer. *Journal of Geophysical Research* 83:345-363.
- *D'Costa DF, Gunasekera NP. 1990. Fatal cerebral edema following trichloroethane abuse. *J R Sot Med* 83:533-534.
- *Daft J. 1987. Determining multi-fumigants in whole grains and legumes, milled and low-fat grain products, spices, citrus fruit and beverages. *J Assoc Off Anal Chem* 70:734-739.
- *Daft JL. 1988. Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Off Anal Chem* 71:748-760.
- Dahlstrom-King L, Couture J, Lamoureux C, et al. 1990. Dose-dependent cytotoxicity of chlorinated hydrocarbons in isolated rat hepatocytes. *Fundam Appl Toxicol* 14:833-841.
- *Dallas CE, Ramanathan R, Muralidhara S, et al. 1989. The uptake and elimination of 1,1,1-trichloroethane during and following inhalation exposures in rats. *Toxicol Appl Pharmacol* 98:385-397.
- Dambly C, Toman Z, Radman M. 1981. Zorotest. *Prog Mutat Res* 1:219-223.
- Dana MT, Lee RN, Hales JM. 1985. Hazardous air pollutants: Wet, removal rates and mechanisms. Richland WA: U.S. Environmental Protection Agency. EPA 600/3-84-113. NTIS PB85 138-626.
- *Daniel MR, Dehnel JM. 1981. Cell transformation test with baby hamster kidney cells. *Mutat Res* 1:626-637.
- *Daniels WJ, Almaguer D, Kramkowski R. 1988. Health hazard evaluation: Report HETA 86-343-1822. Sheller-Globe (Allen Industries, Inc.), Herrin, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB88- 153291.

8. REFERENCES

- *Danielsson BRG, Ghantous H, Dencker L. 1986. Distribution of chloroform and methylchloroform and their metabolites in pregnant mice. *Biol Res Pregnancy Perinatol* 7:77-83.
- *Dapson SC, Hutcheon DE, Lehr D. 1984. Effect of methyl chloroform on cardiovascular development in rats. *Teratology* 29:25A.
- *Deane M, Swan SH, Harris JA, et al. 1989. Adverse pregnancy outcomes in relation to water contamination Santa Clara County California 1980-1981. *Am J Epidemiol* 129:894-904.
- *DeBortoli M, Knoeppel H, Pecchio E, et al. 1986. Concentrations of selected organic pollutants in indoor and outdoor air in northern Italy. *Environmental International* 12:343-350.
- *DeCeaurriz J, Bonnet P, Certin C, et al. 1981. [Chemicals as central nervous system depressants possibilities of an animal model.] *Cahiers de notes documentaires Securites et hygiene du travail*, 351-355. (French)
- *DeCeaurriz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. *Toxicol Appl Pharmacol* 67:383-389.
- DeLorey DC, Cronn DR, Farmer JC. 1988. Tropospheric latitudinal distributions of dichlorodifluoromethane, trichlorofluoromethane, nitrous oxide, 1,1,1-trichloroethane, and carbon tetrachloride. *Atmos Environ* 22:1481-1494.
- *DeMore WB. 1992. Relative rate constants for the reactions of OH with methane and methyl chloroform. *Geophysical Research Letters* 19:1367- 1370.
- *Derwent RG, Jenkin ME. 1991. Hydrocarbons and the long-range transport of ozone and peroxyacetyl nitrate (PAN) across Europe. *Atmos Environ, Part A* 25A(8):1661-1678.
- DeSerres FJ, Hoffmann GR. 1981. Summary report on the performance of yeast assays. *Mutat Res* 1:68-76.
- *Dever RJ. 1986. Responding to industrial contamination of groundwater: A case study. *Journal of the American Water Works Association* 78:82-86.
- DeWalle FB, Chian ESK. 1978. Presence of trace organics in the Delaware River and their discharge by municipal and industrial sources. In: *Proceedings of the Industrial Waste Conference* 32:908-919.
- *DeWalle FB, Kalman DA, Norman D, et al. 1985. Determination of toxic chemicals in effluent from household septic tanks. Cincinnati, OH: U.S. Environmental Protection Agency. EPA 600/S2-85-050.
- *DeWees WG, Segall RR, Cone L, et al. 1992. Emissions of metals, chromium and nickel species, and organics from municipal wastewater sludge incinerators project summary. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory. EPA/600/SR-92/003.
- Dick RB. 1988. Short duration exposures to organic solvents the relationship between neurobehavioral test results and other indicators. *Neurotoxicol Teratol* 10:39-50.
- Dickens BF, Tse SY, Pflug BR, et al. 1990. Interaction between organic hydroperoxides and chlorinated hydrocarbons a possible mechanism for free radical production. In: *Proceedings of the 74th Federation of American Societies for Experimental Biology Annual Meeting Part I*, Washington, DC, April 1-5. *FASEB J* 4:A627.

8. REFERENCES

- Dickens BF, Tse SYE, Msk IT, et al. 1989. Pro-oxidant effect of chlorinated hydrocarbons on cultured vascular cells. In: Proceedings of the 73rd Federation of American Societies for Experimental Biology Annual Meeting, New Orleans, LA, March 19-23. FASEB J 3:A1037.
- Dickson AG, Riley JP. 1976. The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Marine Pollution Bulletin* 7:167-169.
- *Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions: Comparisons with theoretical predictions. *Environmental Science and Technology* 11:405-409.
- *Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Organic photochemistry. XIII. Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. *Environmental Science and Technology* 10:351-356.
- *Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene and other chlorinated compounds in dilute aqueous solutions. *Environmental Science and Technology* 9:833-888.
- *Dills RL, Kent SD, Checkoway H, et al. 1991. Quantification of volatile solvents in blood by static headspace analysis. *Talanta* 38:365-374.
- *Dimitriades B, Joshi SB. 1977. Application of reactivity criteria in oxidant-related emission control in the USA. In: Dimitriades B, ed. Proceedings of Photochemical Oxidant Pollution and Its Control International Conference. Research Triangle Park, NC: U.S. Environmental Protection Agency, 705-711.
- *Direnzo AB, Gandolfi AJ, Sipes IG. 1982. Microsomal bioactivation and covalent binding of aliphatic halides to DNA. *Toxicol Lett* 11:243-252.
- Divincenzo GD, Krasavage WJ. 1974. Serum ornithine carbamyl transferase as a liver response test for exposure to organic solvents. *Am Ind Hyg Assoc J* 35:21-29.
- *Domette WHL, Jones JP. 1960. Clinical experiences with 1,1,1-trichloroethane: A preliminary report of 50 anesthetic administrations. *Anesth Analg* 39:249-252.
- *Dow Chemical. 1993. Examination of rats for developmental neurotoxicological effects from maternal exposure to 1,1,1-trichloroethane. [Peer reviewed unpublished study].
- Dow Chemical Co. 1969. 8d Submission. Effects of repeated vapor exposures to Aerothene products and their stabilizers. U.S. EPA/OPTS Public Files, Washington, DC. Fiche #OTS0515996. [Unpublished study]
- *Dreisch FA, Gower M, Munson TO. 1980. Survey of the Huntington and Philadelphia river water supplies for purgeable organic contaminants. Annapolis, MD: U.S. Environmental Protection Agency. EPA 903-9-8 1-003.
- Droz PO. 1992. Quantification of biological variability. *Ann Occup Hyg* 36:295-306.
- Droz PO, Guillemin MP. 1986. Occupational exposure monitoring using breath analysis. *J Occup Med* 28:593-602.
- *Droz PO, Nicole C, Guberan E. 1982. Sniffing 1,1,1-trichloroethane: Simulation of two fatal cases. In: Collings AJ, Luxon SG, eds. Safe use of solvents. Academic Press, Inc., 153-159.
- Droz PO, Wu MM, Cumberland WG. 1989. Variability in biological monitoring of organic solvent exposure. II. Application of a population physiological model. *Br J Ind Med* 46:547-558.

8. REFERENCES

- Droz PO, Wu MM, Cumberland WG, et al. 1989. Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med* 46:447-460.
- Duce RA, Mohnen, VA, Zimmerman PR, et al. 1983. Organic material in the global troposphere. *Reviews of Geophysics and Space Physics* 21:921.
- Duerk H, Klessen C, Frank H. 1990. Reductive metabolism of 1,1,1-trichloroethane. In: *Proceedings of the 31st German Society for Pharmacology and Toxicology Spring Meeting, Mainz, West Germany, March 13-16. Naunyn Schmiedeberg's Arch Pharmacol* 341(Suppl):R11.
- Dunovant VS, Clark CS, Quehee SS, et al. 1986. Volatile organics in the wastewater and airspace of three wastewater plants. *J Water Pollut Control Fed* 58:886-895.
- *Duprat P, Delsaut L, Gradiski D. 1976. Irritant potency of the principal aliphatic chloride solvents on the skin and ocular mucosis membranes of rabbits. *Eur J Toxicol* 3:171-177.
- *Durk H, Poyer JL, Klessen C, et al. 1992. Acetylene: A mammalian metabolite of 1,1,1-trichloroethane. *Biochem J* 286:353-356.
- *Durk H, Poyer JL, Klessen C, et al. 1992. Acetylene, a mammalian metabolite of 1,1,1-trichloroethane. *Biochem J* 286(part 2):353-356.
- Dyksen JE, Hess AF III. 1982. Alternatives for controlling organics in ground water supplies. *Journal of the American Water Works Association* 74:394- 403.
- *Eben A, Kimmerle G. 1974. Metabolism, excretion and toxicology of methylchloroform in acute and subacute exposed rats. *Arch Toxicol* 31:233-242.
- Egle JL Jr., Long JE, Simon GS, et al. 1976. An evaluation of the cardiac sensitizing potential of a fabric protector in aerosol form, containing 1,1,1-trichloroethane. *Toxicol Appl Pharmacol* 38:369-377.
- Egli C, Scholtz R, Cook AM, et al. 1987. Anaerobic dechlorination of tetrachloromethane and 1,2-dichloroethane to degradable products by pure cultures of *Desulfobacterium* sp. and *Methanobacterium* sp. *Ferns Microbial Lett* 43:257-261.
- Eighler DL, Mackey JH. 1986. The levels of certain volatile organic compounds in the ambient air of the United States. In: *Proceedings of 79th Air Pollution Control Association Annual Meeting. Vol. 6.*
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- *Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology: Diagnosis and treatment of human poisoning.* Amsterdam: Elsevier, 841-843.
- *Ellenrieder W, Reinhard M. 1988. Athias2an information system for abiotic transformations of halogenated hydrocarbons in aqueous solution. *Chemosphere* 17:331-344.
- Elovaara E, Hemminki K, Vainio H. 1979. Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology* 12:111-120.
- Entz RC, Hollifield HC. 1982. Headspace gas chromatographic analysis of foods for volatile halocarbons. *J Agric Food Chem* 30:84-88.
- *EPA. 1971a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1001.

8. REFERENCES

- *EPA. 1971b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1012.
- *EPA. 1972a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 52.1170.
- *EPA. 1972b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 52.2570.
- *EPA. 1978a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- *EPA. 1978b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.
- *EPA. 1979a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141 App. C.
- *EPA. 1979b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136. Method 624.
- *EPA. 1979c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136. Method 1624.
- *EPA. 1979d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125. Form 2C.
- *EPA. 1979e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 257 App. I.
- EPA. 1980a. Ambient water quality criteria for chlorinated ethanes. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division. EPA 440/5-80-029.
- *EPA. 1980b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- *EPA. 1980~. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).
- *EPA. 1980d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 52.2222.
- *EPA. 1981a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.
- *EPA. 1981b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.32.
- *EPA. 1981c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.
- *EPA. 1981d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- *EPA. 1981e. Clean water effluent guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 400.
- *EPA. 1982a. Test method: Purgeables method 624. Cincinnati, OH: U.S. Environmental Protection Agency, 40 CFR 136, App. A
- *EPA. 1982b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423 App.A.
- *EPA. 1982c. Method No. 601. Test methods. Methods for organic chemical analysis of municipal and industrial wastewater. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH.

8. REFERENCES

- *EPA. 1983a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122 App. D.
- *EPA. 1983b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.11.
- *EPA. 1983c. Clean water effluent guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 475.
- *EPA. 1984a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261 App. IX.
- *EPA. 1984b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 799.4400.
- *EPA. 1985a. Environmental Protection Agency. National primary drinking water regulations; volatile synthetic organic chemicals. Fed Regist 50:46880.
- EPA. 1985b. Health assessment document for 1,1, 1 -trichloroethane (methyl chloroform). Final report. U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. EPA 600/8-82-003.
- *EPA. 1985c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61.01.
- *EPA. 1985d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 790.5.
- *EPA. 1986a. Methods for the determination of organic compounds in finished drinking water and raw source water: Method no. 502.1. Cincinnati, OH: U.S. Environmental Protection Agency, Physical and Chemical Methods Branch, Environmental Monitoring and Support Laboratory.
- *EPA. 1986b. Superfund record of decision (EPA Region 8): Marshall Landfill Site, Boulder County, Colorado, September, 1986. Report. U.S. Environmental Protection Agency. EPA/ROD/R08-86-008.
- *EPA. 1986c. Superfund record of decision (EPA Region 5): Forest Waste Disposal Site, Genesee County, Michigan, June, 1986. Report. U.S. Environmental Protection Agency. EPA ROD/R05-86/034:PB87-189890.
- *EPA. 1986d. Super-fund record of decision (EPA Region 5): Byron Johnson Salvage Yard, Byron, Illinois, September, 1986. Report. U.S. Environmental Protection Agency. EPA/ROD/R05-86-042.
- *EPA. 1986e. Method 8240: Gas chromatography/mass spectrometry for volatile organics. Cincinnati, OH: U.S. Environmental Protection Agency.
- *EPA. 1986f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 51.100.
- *EPA. 1986g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.10.
- *EPA. 1987a. Purge and trap onto adsorbant with gas chromatography/mass spectrometry (GC/MS). U.S. Environmental Protection Agency Contract Lab.
- EPA. 1987b. Environmental Protection Agency: Organic chemicals and plastics and synthetic fibers category effluent limitations guidelines, pretreatment standards, and new source performance standards. Fed Regist 52:42522-42584.
- *EPA. 1987c. U.S. EPA contract laboratory program statement of work for organic analysis. Washington, DC: U.S. Environmental Protection Agency.

8. REFERENCES

- *EPA. 1987d. Superfund record of decision (EPA Region 4): Gallaway Ponds Site, Gallaway, Tennessee, September, 1986. Report. U.S. Environmental Protection Agency. EPA/ROD/R04-86-013.
- *EPA. 1987e. Superfund record of decision (EPA Region 2): Lang Property, Pemberton Township, New Jersey, September, 1986. Report. U.S. Environmental Protection Agency. EPA/ROD/R02-86-03 1. NTIS PB87- 188470.
- *EPA. 1987f. Environmental Protection Agency: National primary drinking water regulations; synthetic organic chemicals; monitoring for unregulated contaminants. Fed Regist 52:25690-25717.
- *EPA. 19878. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.91.
- *EPA. 1987h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.101
- *EPA. 1987i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 App. IX.
- EPA. 1988a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.
- *EPA. 1988b. Super-fund record of decision (EPA region 5): Summit national site: Deerfield, OH, June 1988. First remedial action. Washington, DC: U.S. Environmental Protection Agency. EPA/ROD/R85-88/068. NTIS PB89-225988.
- *EPA. 1988c. Method 524.1: Measurement of purgeable organic compounds in water by .packed column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, 255-284.
- *EPA. 1988d. Method 524.2: Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency.
- *EPA. 1988e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.5.
- *EPA. 1988f . U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.9.
- *EPA. 19888. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 153.139.
- *EPA. 1988h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.9.
- *EPA. 1988i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- *EPA. 1988j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 799.5.
- *EPA. 1988k. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.43.
- *EPA. 1988l. The Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA). Section 313 of Title III. U.S. Environmental Protection Agency, Washington, DC.
- *EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-88-066F.
- *EPA. 1989b. Environmental Protection Agency: Testing consent order for 1,1,1-trichloroethane and response to the Interagency Testing Committee. Fed Regist 54:34991-34995.
- *EPA. 1989c. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066F.

8. REFERENCES

EPA. 1989d. Environmental Protection Agency. Testing consent order for 1,1,1-trichloroethane and response to the Interagency Testing Committee. Fed Regist 54:34991-34995.

EPA. 1989e. Environmental Protection Agency. Testing consent order for 1,1,1-trichloroethane and response to the Interagency Testing Committee. Fed Regist 54:162.

EPA. 1989f. Environmental Protection Agency. National primary and secondary drinking water regulations. Fed Regist 54:97.

*EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.

EPA. 1990b. Environmental Protection Agency. TSCA chemical testing: Receipt of test data. Fed Regist 55:50055.

EPA. 1991a. Environmental Protection Agency. Se Submission. Summary report: 1,1,1-Trichloroethane with cover letter dated 6/1 9/9 1. U.S. EPA/OPTS Public Files, Washington, DC. Fiche # OTS0529783.

EPA. 1991b. Environmental Protection Agency. National primary drinking water regulations synthetic organic chemicals and inorganic chemicals, monitoring for unregulated contaminants, national primary drinking water regulations implementation, national secondary drinking water regulations: Part II. Fed Regist 56:3526.

EPA. 1991c. Environmental Protection Agency. TSCA chemical testing: Receipt of test data. Fed Regist 56:5688.

EPA. 1991d. Environmental Protection Agency. TSCA chemical testing: Receipt of test data. Fed Regist 56:28893.

EPA. 1991e. Environmental Protection Agency. TSCA chemical testing: Receipt of test data. Fed Regist 56:24191.

*EPA. 1991f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.

*EPA. 1991g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258 App. I.

*EPA. 1991h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266. App. VIII.

EPA. 1992a. Environmental Protection Agency. Drinking water, national primary drinking water regulations synthetic organic chemicals and inorganic chemicals, national primary drinking water regulations implementation: Part III. Fed Regist 57:31776.

*EPA. 1992b. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 148.

*EPA. 1992c. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 258.

*EPA. 1992d. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 266.

*EPA. 1992e. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 268.

*EPA. 1992f. Status of pesticides in reregistration and special review. Washington, DC: U.S. Environmental Protection Agency. EPA 700-R-92-004.

8. REFERENCES

- *EPA. 19928. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.70.
- *EPA. 1992h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.3.
- *EPA. 1993a. U.S. Environmental Protection Agency. Federal Register 58 FR 38326.
- *EPA. 1993b. U.S. Environmental Protection Agency. Federal Register. 58 FR 62566.
- *EPA. 1993c. U.S. Environmental Protection Agency. Federal Register. 58 FR 66078.
- *EPA. 1993d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.
- *EPA. 1993e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.104.
- *EPA. 1993f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.106.
- *EPA. 1993g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.110.
- *EPA. 1993h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.111.
- *EPA. 1993i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.122.
- *EPA. 1993j. U.S. Environmental Protection Agency. Federal Register. 58 FR 65622
- *EPA. 1993k. Protection of stratospheric ozone. U.S. Environmental Protection Agency. Federal Register 58(20) FR 54892-54899.
- *EPA. 1993l. Protection of Stratospheric Ozone. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 82.
- *EPA. 1993m. Status of pesticides in reregistration and special review. U.S. Environmental Protection Agency. EPA 738-R-93-009, pp. 53, 244, 359.
- *EPA. 1993n. 1990 Clean Air Act Amendments. U.S. Environmental Protection Agency.
- *EPA. 1994a. U.S. Environmental Protection Agency. Federal Register. 58 FR 9158.
- *EPA. 1994b. U.S. Environmental Protection Agency. Federal Register. 58 FR 15504.
- *EPA. 1994c. Drinking Water Regulations and Health Advisories. Office of Drinking Water, U.S. Environmental Protection Agency, Washington, DC.
- *Evans EB, Balster RL. 1991. CNS depressant effects of volatile organic solvents. *Neurosci Biobehav Rev* 15:233-241.
- *Evans EB, Balster RL. 1993. Inhaled 1,1,1-trichloroethane-produced physical dependence in mice: effects of drugs and vapors on withdrawal. *J Pharmacol Exp Ther* 264:726-733.
- Ewing BB, Chian ESK, Cook JC, et al. 1977. Monitoring to detect previously unrecognized pollutants in surface waters. Appendix: Organic analysis data. Washington, DC: U.S. Environmental Protection Agency. EPA 560/6-77-015. Appendix: EPA 560/6-77-015A.
- Fabian P, Borchers R, Penkett SA, et al. 1981. Halocarbons in the stratosphere. *Nature* 294:733-735.
- Fabian P, Goerner D. 1984. The vertical distribution of halocarbons in the stratosphere. *Fresenius' Journal of Analytical Chemistry* 319:890-897.

8. REFERENCES

- *Falck K, Partanen P, Sorsa M, et al. 1985. Mutascreen, an automated bacterial mutagenicity assay. *Mutat Res* 150:119-125.
- *Fallon ME, Horvath FJ. 1985. Preliminary assessment of contaminants in soft sediments of the Detroit River. *Journal of Great Lakes Research* 11:373- 378.
- *Fannick N. 1980. Health hazard evaluation: Determination report HE 77-122-695. Gould's Pumps, Inc., Seneca Falls, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH-HE-77-122-695. NTIS PB81-111239.
- *Fannick N. 1986. Health hazard evaluation: Report HETA 84-478-1636. Palace Theater, New York, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 18. NTIS PB86-206067.
- Farrington JW, Westall J. 1986. Organic chemical pollutants in the oceans and groundwater: A review of fundamental chemical properties and biogeochemistry. NATO Advanced Science Institutes Series C: Mathematic and Physical Sciences) 172:361-425.
- Fawell JK, Fielding M. 1985. Identification and assessment of hazardous compounds in drinking water. *Sci Total Environ* 47:317-341.
- *FEDRIP. 1994. Federal Research in Progress. Dialog Information Service, Inc., Palo Alto, CA.
- *Feiler HD, Starch PJ, Southworth R. 1980. Organics in municipal sludges survey of forty cities. In: Proceedings of National Conference, Municipal Industrial Sludge Utility Disposal, Silver Spring, MD. Inf Transfer, 53-57.
- *Feiler HD, Vemick AS, Starch PJ. 1979. Fate of priority pollutants in POTW's. In: Proceedings of 8th national conference. Municipal Sludge Management, 72-81.
- Fennick N. 1986. Health hazard evaluation: Report HETA 83-306-1548. Scholastic, Inc., New York, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 02. NTIS PB86-015533.
- Femicola C, Govoni S, Coniglio L, et al. 1991. [Use of 1,1,1-trichloroethane (methylchloroform) in industry: Neurotoxic risks.] *Med Lav* 82:38-49. (Italian)
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol* 34:246-255.
- *Fey EG, White HA, Rabin BR. 1981. Development of the degranulation test system. *Prog Mutat Res* 1:236-244.
- Fielding M, Gibson TM, James HA, et al. 1981. Organic micropollutants in drinking water. TR-159. Medmenham Eng Water Res Cent.
- Filatova GN, Koropalov VM, Kovaleva NV. 1983. Gas-chromatographic determination of ultra-trace amounts of halogen-containing hydrocarbons in the atmosphere. *J Chromatogr* 264:129-136.
- Filser JG. 1992. The closed chamber technique%ptake, endogenous production, excretion, steady-state kinetics and rates of metabolism of gases and vapors. *Arch Toxicol* 66:1-10.

- *Finlayson-Pitts BJ, Ezell MJ, Jayaweera TM, et al. 1992. Kinetics of the reactions of OH with methyl chloroform and methane: implications for global tropospheric OH and the methane budget. *Geophys Res Lett* 19(13):1371-1374.
- *Fischer AJ, Rowan EA, Spalding RF. 1987. VOCs in ground water influenced by large scale withdrawals. *Ground Water* 25:407-414.
- Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: Criteria for skin notation. *Am J Ind Med* 17:617-636.
- Fleming LE. 1992. Unusual occupational gastrointestinal and hepatic disorders. *Occupational Medicine*State of the Art Reviews* 7:433-448 162.
- Fogelqvist E. 1985. Carbon tetrachloride, tetrachloroethylene, 1,1,1-trichloroethane and bromoform in Arctic seawater. *Journal of Geophysical Research C: Oceans* 90:9181-9193.
- “Folbergrova J, Hougaard K, Westerberg E, et al. 1984. Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. 2. Tissue concentrations of labile phosphates, glycolytic metabolites, citric acid cycle intermediates, amino acids, and cyclic nucleotides. *Neurochem Pathol* 255-68.
- *Foster SA, Chrostowski PC. 1986. Integrated household exposure model for use of tap water contaminated with volatile organic chemicals. In: *Proceedings of Annual Meeting* 79:86/12.3.
- *Frank H, Frank W. 1988. Quantitative determination of airborne C-1-halocarbons and C-2-halocarbons by GC-ECD. In: *Proceedings of the 8th Capillary Chromatography International Symposium, Riva Del Garda, Italy, May 19-21. Journal of High Resolution Chromatography and Chromatography Communications* 115 1-56.
- *Frankenberry M, Kent R, Stroup C, et al. 1987. Household products containing methylene chloride and other chlorinated solvents: A shelf survey. Rockville, MD: Westat, Inc.
- Fraser PJ, Pearman GI. 1978. Atmospheric halocarbons in the southern hemisphere. *Atmos Environ* 12:839-844.
- *Friesel P, Milde G, Steiner B. 1984. Interactions of halogenated hydrocarbons with soils. *Fresenius' Journal of Analytical Chemistry* 3 19: 160-1 64.
- Frischherz H, Seidelberger F. 1987. The contamination of groundwater by chlorinated hydrocarbons in the Mitteldorfer Senke: Development and measures. *Water Supply* 5:3-4.
- *FSTRAC. 1990. Federal State Toxicology Regulatory Alliance Committee. Summary of state and federal drinking water standards and guidelines by chemical communication subcommittee.
- *Fukabori S, Nakaaki K, Yonemoto J, et al. 1977. On the cutaneous absorption of 1,1,1-trichloroethane(2). *The Journal of Science Labour* 53:89-95.
- *Fuller GC, Olshan A, Puri SK, et al. 1970. Induction of hepatic drug metabolism in rats by methylchloroform inhalation. *J Pharmacol Exp Ther* 175:3 1 I-3 17.
- *Fusillo TV, Hochreiter JJ, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. *Ground Water* 23:354-360.
- *Gallagher JS, Kurt TL. 1990. Neonatal exposure to methyl chloride in tape remover. *Vet Hum Toxicol* 32:43-45.

8. REFERENCES

- *Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. *Environ Mol Mutagen* 10:1-175.
- *Gait AM, MacLeod G. 1984. Headspace sampling of cooked beef aroma using Tenax GC. *J Agric Food Chem* 32:59-64.
- *Gamberale F, Hultengren M. 1973. Methylchloroform exposure. II. Psychophysiological functions. *Work Environ Health* 10:82-92.
- *Garcia JP, Beyne-Masclet S, Mouvier G. 1992. Emissions of volatile organic compounds from coal-fired power stations. *Atmos Environ, Part A* 26A(9):1589-1597.
- *Gargas ML. 1990. An exhaled breath chamber system for assessing rates of metabolism and rates of gastrointestinal absorption with volatile compounds.
- *Gargas ML, Andersen ME. 1989. Determining kinetic constants of chlorinated ethane metabolism in the rat from rates of exhalation. *Toxicol Appl Pharmacol* 99:344-353.
- Gargas ML, Andersen ME, Clewell HJ III. 1986. A physiologically based simulation approach for determining metabolic constants from gas uptake data. *Toxicol Appl Pharmacol* 86:341-352.
- *Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol* 98:87-99.
- Gargas ML, Clewell HJ, Andersen ME. 1990. Gas uptake inhalation techniques and the rates of metabolism of chloromethanes, chloroethanes and chloroethylenes in the rat. *Inhalation Toxicology* 2:295-319.
- Gargas ML, Reitz RH, Murphy JE, et al. 1991. Gastrointestinal (GI) absorption of methyl chloroform (MC). In: *Proceedings of the 30th Society of Toxicology Annual Meeting*, Dallas, TX, February 25 to March 1. Washington, DC: Society of Toxicology.
- Gargas ML, Seybold PG, Andersen ME. 1988. Modeling the tissue solubilities and metabolic rate constant (V_{max}) of halogenated methanes, ethanes and ethylenes. *Toxicol Lett* 43:235-256.
- Garnier R, Reygagne A, Maladry-Muller P, et al. 1991. [Evolution of chronic toxic encephalopathy induced by organic solvents after the cessation of exposure: Report of a case with a 5-year follow-up.] *Arch Mal Prof* 52:349-354. (French)
- Garrison AW, Alford AI, Craig JS, et al. 1981. An overview of interim procedures. In: *Advances in the identification and analysis of organic pollutants in water*. Vol. I. Ann Arbor, MI: Ann Arbor Press, 17.
- *Gatehouse D. 1981. Mutagenic activity of 42 coded compounds in the microtiter fluctuation test. In: *Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program*. *Prog Mutat Res* 1:376-386.
- *Gehring P.T. 1968. Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol* 13:287-298.
- *Geller I, Mendez V, Hartmann RJ, et al. 1982. Effects of 1,1,1-trichloroethane on a match-to-sample discrimination task in the baboon. *J Toxicol Environ Health* 9:783-795.
- *George JD, Price CJ, Mar-r MC, et al. 1989. Developmental toxicity of 1,1,1-trichloroethane in CD rats. *Fundam Appl Toxicol* 13:641-651.

8. REFERENCES

- Gerace RV. 1981. Near-fatal intoxication by 1,1,1-trichloroethane. *Ann Emerg Med* 10:533-534.
- *Gerbino TC, Nadotti S, Castle P. 1992. Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. *J Chromatogr* 623(1):123-127.
- Geyer H, Scheunert I, Korte F. 1986. Bioconcentration potential of organic environmental chemicals in humans. *Regul Toxicol Pharmacol* 6:3 13-347.
- *Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: Proposal for the biological equivalent exposure limit for nine solvents. *Am Ind Hyg Assoc J* 48:786-790.
- *Gibbs MJ, Wasson J, Magee T, et al. 1992. Study of emissions and control of stratospheric ozone-depleting compounds in California. ICF Consulting Association, Inc., Universal City, CA, USA. 305 pp. NTIS No. PB93-160752.
- Gilani SH, Diaz A. 1986. The teratogenic effects of trichloroethane on the chick embryogenesis. *Teratology* 33:64C.
- Gilbert J, Startin JR, Wallwork MA. 1978. Gas chromatographic determination of 1,1,1-trichloroethane in vinyl chloride polymers and in foods. *J Chromatogr* 127-132.
- Gill R, Hatchett SE, Broster CG, et al. 1991. The response of evidential breath alcohol testing instruments with subjects exposed to organic solvents and gases. I. Toluene, 1,1,1-trichloroethane, and butane. *Med Sci Law* 31: 187-200.
- *Gilles D. 1976. Health hazard evaluation: Toxicity determination report 75-147-318. Westinghouse Electric Corporation, East Pittsburgh, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB264802.
- *Gilles D. 1977. Health hazard evaluation: Toxicity determination report 77-5-362. Matryx Company, Division of Xomox Corporation, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB-273912.
- *Gilles D, Philbin E. 1976. Health hazard evaluation: Determination report 76-61-337. TRW, Incorporated, Philadelphia, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB273739.
- Gilles D, Rostand RA. 1975. Health hazard evaluation: Toxicity determination report HHE 75-26-245. Babcock and Wilcox Company, Canton, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB 249425.
- Giroux D, Lapointe G, Baril M. 1992. Toxicological index and the presence in the workplace of chemical hazards for workers who breast-feed infants. *Am Ind Hyg Assoc J* 53:471-474.
- *Glaser RA, Arnold JE. 1989. Investigation of charcoal cloth as a sorbent for integrated sampling of solvent vapors in mixed-expired breath using a new stainless steel sampler. *Am Ind Hyg Assoc J* 50:112-121.
- *Gocke E, King MT, Eckhardt K, et al. 1981. Mutagenicity of cosmetics ingredients licensed by the European communities. *Mutat Res* 90:9 1- 109.

8. REFERENCES

- *Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CT: Appleton & Lange, 763-767.
- *Gossett JM. 1987. Measurement of Henry's Law Constant for Cl and C2 chlorinated hydrocarbons. *Environmental Science and Technology* 21:202-206.
- Gowda TPH, Lock JD. 1985. Volatilization rates of organic chemicals of public health concern. *Journal of Environmental Engineering* 111:755-776.
- "Gradiski D, Bonnet P, Raoult G, et al. 1978. Comparative acute inhalation toxicity of the principal chlorinated aliphatic solvents. *Arch Mal Prof* 39:249-257.
- Granstrom ML, Ahlert RC, Wiesenfeld J. 1984. The relationships between the pollutants in the sediments and in the water of the Delaware and Raritan Canal. *Water Science and Technology* 16:375-380.
- *Green AES, Wagner JC, Mahadevan S. 1992. Chlorinated toxics from incineration. *FACT Am Soc Mech Eng* 15(Ai):49-56.
- *Green MH. 1981. A differential killing test using an improved repair-deficient strain of *Escherichia coli*. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1:183-194.
- Greenberg M, Anderson G, Keene J, et al. 1982. Empirical test of the association between gross contamination of wells with toxic substances and surrounding land use. *Environmental Science and Technology* 16:14-19.
- Gregory GL, Harriss RC, Talbot RW, et al. 1986. Air chemistry over the tropical forest of Guyana. *Journal of Geophysical Research* 91:8603-8612.
- *Gresham GA, Treip CS. 1983. Fatal poisoning by 1,1,1-trichloroethane after prolonged survival. *Forensic Sci Int* 23:249-253.
- *Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ* 9:1014-1017.
- *Grotoh M, Sekitani Y, Aramaki T, et al. 1992. Pollution due to volatile halocarbon compounds in biota. *Bull Environ Contam Toxicol* 49(2): 186-191.
- *Guberan E, Frye O, Robert M. 1976. [Sudden death from ventricular fibrillation after voluntary inhalation of chloroethene in a mechanics apprentice.] *Schweiz Med Wochenschr* 106:119-121. (French).
- *Guengerich FP, Kim DH, Iwasaki M. 1991. Role of human cytochrome P-450IIE1 in the oxidation of many low molecular weight cancer suspects. *Chemical Research and Toxicology* 4:168-179.
- *Guicherit R, Schulting FL. 1985. The occurrence of organic chemicals in the atmosphere of the Netherlands. *Sci Total Environ* 43:193-219.
- *Gunter BJ. 1979. Health hazard evaluation: Determination report 79-23-603. AMF Head Division, Boulder, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-147135.
- *Gunter BJ. 1980. Health hazard evaluation: Determination report HE 80-71-703. Bear Creek Uranium Company, Douglas, WY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB81-111221.

8. REFERENCES

- *Gunter BJ. 1983. Health hazard evaluation: Report HETA 81-261-1085. Jeppesen Sanderson, Inc., Englewood, CA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind. Issue 17. NTIS PB83-201749.
- Gunter BJ. 1988. Health hazard evaluation: Report HETA 87-142-1802. F. and I. Steel Corporation, Pueblo, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Reports Announce Ind, Issue 06. NTIS PB88-125976.
- *Gunter BJ, Philbin EH, Lowry LK, et al. 1977. Health hazard evaluation: Determination report 76-99-397. Redfield Company, Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB-273746.
- *Gunter BJ, Thobum TW. 1986. Health hazard evaluation: Report HETA 84-384-1580. Crystal Zoo, Boulder, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 08. NTIS PB86-137908.
- Gusten H, Klasinc L, Marie D. 1984. Prediction of the abiotic degradability of organic compounds in the troposphere. *J Atmos Chem* 2:83-94.
- Guzelian PS. 1991. 1,1,1-trichloroethane and the liver [letter]. *Arch Intern Med* 151:2321-2322, 2325-2326.
- *Haag WR, Mill T. 1988. Effect of a subsurface sediment on hydrolysis of haloalkanes and epoxides. *Environmental Science and Technology* 22:658-663.
- Haglid KG, Rosengren LE, Karlsson JE. 1990. Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain. Reply to comments. *Stand J Work Environ Health* 16:145-146.
- *Hajimiragha H, Ewers U, Jansen-Rosseck R, et al. 1986. Human exposure to volatile halogenated hydrocarbons from the general environment. *Int Arch Occup Environ Health* 58:141-150.
- *Hake CL, Waggoner TB, Robertson DN, et al. 1960. The metabolism of 1,1,1-trichloroethane by the rat. *Arch Environ Health* 1:101-105.
- *Halevy J, Pitlik S, Rosenfeld J, et al. 1980. 1,1,1-Trichloroethane intoxication: A case report with transient liver and renal damage. Review of the literature. *Clin Toxicol* 16:467-472.
- *Hall DW. 1984. Volatile organic contamination in an alluvial aquifer, Southington, Connecticut.- In: *Proceedings of International Conference: Hazardous Wastes Environmental Emergency Management, Prevention, Cleanup Control*. Conference Exhibits 190-197.
- *Hall FB, Hine CH. 1966. Trichloroethane intoxication: A report of two cases. *J Forensic Sci* 11:404-413.
- Hall LC, Bogen KT, McKone TE, et al. 1989. Health risk assessment of 1,1,1-trichloroethane (mc) in California drinking water. Department of Energy, Washington DC. NTIS DE89003457.
- *Hallen RT, Pyne JR Jr, Molton PM. 1986. Transformation of chlorinated ethenes and ethanes by anaerobic microorganisms, In: *Proceedings of 192nd National Meeting: ACS Division of Environmental Chemistry*, 26:344-346.

8. REFERENCES

- *Hanasono GK, Witschi H, Plaa GL. 1975. Potentiation of the hepatotoxic responses to chemicals in alloxan-diabetic rats. *Proc Soc Exp Biol Med* 149:903-907.
- *Hansch C, Leo AJ. 1985. Medchem project issue no. 26. Claremont, CA: Pomona College.
- Hansen CM, Andersen BH. 1988. The affinities of organic solvents in biological systems. *Am Ind Hyg Assoc J* 49:301-308.
- Hardie DWF. 1969. 1,1,1-Trichloroethane. In: Kirk RE, Othmer DT, eds. *Encyclopedia of chemical technology*. Vol. 5, 2nd ed. New York: Interscience Publishers, 154-157.
- *Harkov R, Gianti SJ, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. *Journal of Environmental Science and Health* 20:491-501.
- Harris GE, Tichenor BA. 1981. Frequency of fugitive emissions in synthetic organic chemical plants. In: *Proceedings of the Air Pollution Control Association Annual Meeting* 74:81-41 .S.
- Harsch DE, Cronn DR, Slater WR. 1979. Expanded list of halogenated hydrocarbons measurable in ambient air. *J Air Pollut Control Assoc* 29:975-976.
- *Hartwell TD, Pellizzari ED, Perritt RL, et al. 1987a. Comparison of volatile organic levels between sites and seasons for the total exposure assessment methodology (TEAM) study. *Atmos Environ* 21:2413-2424.
- *Hartwell TD, Pellizzari ED, Perritt RL et al. 1987b. Results from the total exposure assessment methodology (TEAM) study in selected communities in northern and southern California. *Atmos Environ* 21: 1995-2004.
- *Hartwell TD, Penitt RL, Pellizzari ED, et al. 1992. Results from the 1987 Total Exposure Assessment Methodology (TEAM) study in Southern California. *Atmos Environ* 26: 1519-1527.
- *Hartwell TD, Penitt RL, Zelon HS, et al. 1984a. Comparison of indoor and outdoor levels for air volatiles in New Jersey. *Indoor Air: Chemical Characterization and Personal Exposure* 4:98-102.
- Hartwell TD, Zelon HS, Leininger CC, et al. 1984b. Comparative statistical analysis for volatile halocarbons in indoor and outdoor air. *Indoor Air: Chemical Characterization and Personal Exposure* 4:57-61.
- Hasanen E, Soininen V, Pyysalo M. 1979. The occurrence of aliphatic chlorine and bromine compound in automobile exhaust. *Atmos Environ* 13:1217- 1219.
- *Hatch GG, Mamay PD, Ayer ML, et al. 1982. Methods for detecting gaseous and volatile carcinogens using cell transformation assays. *Environ Sci Res* 25:75-90.
- *Hatch GG, Mamay PD, Ayer ML, et al. 1983. Chemical enhancement of viral transformation in Syrian hamster embryo cells by gaseous and volatile chlorinated methanes and ethanes. *Cancer Res* 43:1945-1950.
- Hayashi M, Ando K, Kosaka H. 1977. [Toxicological studies of methylchloroform. I. Determination of methylchloroform in biological materials.] *Osaka-furitsu Koslu Eisei Kenkyusho Kenkyu Hokoku, Rodo Eisei Hen* 15:19-22. (Japanese)
- *HAZDAT. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta; GA. March 9, 1993.
- *HazDat. 1994. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

8. REFERENCES

- Hede AR, Anderson L, Post C. 1983. The effect of methylchloroform on the pulmonary uptake of 5-hydroxytryptamine in isolated perfused rat lung. *Acta Pharmacol Toxicol (Copenh)* 53: 175-176.
- *Heikes DL, Hopper ML. 1986. Purge-and-trap method for determination of fumigants in whole grains, milled grain products and intermediate grain-based foods. *J Assoc Off Anal Chem* 69:990-998.
- Hellmann H. 1984. Volatile chlorinated hydrocarbons in waters of the Federal Republic of Germany occurrence and balance. *Haustechnik-Bauphysik- Umwelttechnik - Gesundheits-Ingenieur* 105:269-78. (German)
- Hemminki K, Vainio H. 1984. Human exposure to potentially carcinogenic compounds. *IARC Sci Publ* 59:37-45.
- Henschler D, Reichert D, Matzler M. 1980. Identification of potential carcinogens in technical grade 1,1,1-trichloroethane. *Int Arch Occup Environ Health* 47:263-268.
- *Henson JM, Yates MV, Cochran JW, et al. 1988. Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. *Ferns Microbial Ecology* 53: 193-201.
- *Herbert P, Charbonnier P, Rivolta L, et al. 1986. The occurrence of chlorinated solvents in the environment. *Chem Ind* 24:861-869.
- Herd PA. 1974. Alterations in mitochondrial respiratory control characteristics induced by 1,1,1-trichloroethane. In: *Proceedings of the 58th Federation of American Societies for Experimental Biology Annual Meeting, Atlantic City, NJ, April 7-12. Fed Proc, April 1974-February 1975.*
- *Herd PA, Lipsky M, Martin HF. 1974. Cardiovascular effects of 1,1,1-trichloroethane. *Arch Environ Health* 28:227-233.
- Herd PA, Martin HF. 1975. Effect of 1,1,1-trichloroethane on mitochondrial metabolism. *Biochem Pharmacol* 24:1179-1186.
- Herd PA, Martin HF, M. Lipsky. 1973. Cardiovascular alterations resulting from inhalation of 1,1,1-trichloroethane. In: *Proceedings of the 12th Society of Toxicology Annual Meeting, New York, NY, March 18-22, 1973. Washington, DC: Society of Toxicology.*
- *Hervin RL. 1975. Health hazard evaluation: Toxicity determination report HHE 75-81-252. Artex Manufacturing Company, Inc., Overland Park, KA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute, for Occupational Safety and Health. NTIS PB 249432.
- Hetrick DM, Jarabek AM, Travis CC. 1991. Sensitivity analysis for physiologically based pharmacokinetic models. *J Pharmacokinet Biopharm* 19:1-20.
- Hirota S. 1982. [Changes in hematologic parameters of dog due to exposure to trichloroethylene and 1,1,1-trichloroethane.] *Okayama Igakkai Zasshi* 94:211-220. (Japanese)
- *Hisham MWM, Grosjean D. 1991. Air pollution in Southern California (USA) museums: Indoor and outdoor levels of nitrogen dioxide, peroxyacetyl nitrate, nitric acid, and chlorinated hydrocarbons. *Environmental Science and Technology* 25:857-862.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1982. [Experimental examinations and toxicokinetic analysis of the absorption and excretion of 1,1,1-trichloroethane by the lung]. *Sangyo Igaku* 24:599-607. (Japanese)

8. REFERENCES

- *Hobara T, Kobayashi H, Higashihara E, et al. 1983. Changes in hematologic parameters with acute exposure to 1,1,1-trichloroethane. *Ind Health* 21:255-261.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1983. [Factors affecting 1,1,1-trichloroethane absorption and excretion by the lung.] *Nippon Eiseigaku Zasshi* 38:642-648. (Japanese)
- Hobara T, Kobayashi H, Higashihara E, et al. 1984. Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. *Arch Environ Contam Toxicol* 13:589-593.
- *Hobara T, Kobayashi H, Iwamoto S, et al. 1981. [Diminution of 1,1,1- and 1,1,2-trichloroethane in the blood and their excretion by the lungs.] (author's transl). *Sangyo Igaku* 23:377-382. (Japanese)
- *Hodgson AT, Daisey JM, Grot RA. 1992. Soil-gas contamination and entry of volatile organic compounds into a house near a landfill. *Journal of the Air and Waste Management Association* 42:1277-283.
- *Hodgson MJ, Heyl AE, Van Thiel DH. 1989. Liver disease associated with exposure to 1,1,1-trichloroethane. *Arch Intern Med* 149:1793-1798.
- *Hodgson MJ, Vanthiel DH. 1991. 1,1,1-Trichloroethane and the liver+epley. *Arch Intern Med* 151:2322, 2325-2326.
- *Hoffmann P, Breitenstein M, Toraason M. 1992. Calcium transients in isolated cardiac myocytes are altered by 1,1,1-trichloroethane. *J Mol Cell Cardiol* 24:619-629.
- Hollenbach DE, Bajpai PK, Drawbaugh RB, et al. 1989. Effect of 1,1,1-trichloroethane delivered by ceramic-glass reservoir systems on selected behavioral tests in the Fischer-344 rat. In: *Proceedings of the 28th Society of Toxicology Annual Meeting*, Atlanta, GA, February 27-March 3, 1989. Washington, DC: Society of Toxicology.
- Holmberg B, Jakobson I, Malmfors T. 1974. The effect of organic solvents on erythrocytes during hypotonic hemolysis. *Environ Res* 7:193-205.
- *Holmberg B, Jakobson I, Sigvardsson K. 1977. A study on the distribution of methylchloroform and n-octane in the mouse during and after inhalation. *Scand J Work Environ Health* 3:43-52.
- Honma T. 1990. Effects of trichloroethylene 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health* 28:159-174.
- Honma T. 1991. Changes in plasma lipoproteins of rats induced by chlorinated organic solvents. In: *Proceedings of the 64th Japanese Pharmacological Society Annual Meeting*, Kobe, Japan, March 24-27. *Jpn J Pharmacol* 55(Suppl 1):303.
- *Horiguchi S, Horiguchi K. 1971. [An experiment of 1,1,1-trichloroethane vapor exposure to mice.] *Jpn J Ind Health* 13:226-227. (Japanese)
- *Horiguchi S, Teramoto K, Nakaseko H, et al. 1991. Comparison of acute toxicity of several organic solvents estimated by the values of LD50 and LC50. *Seikatsu Eisei* 35:137-140.
- *Horvath AL. 1982. *Halogenated hydrocarbons*. New York, NY: Marcel Dekker, Inc, 500.
- *Hougaard K, Ingvar M, Wieloch T, et al. 1984. Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. I. Effects on local cerebral glucose consumption and blood flow during acute exposure. *Neurochem Pathol* 2:39-53.

8. REFERENCES

- *Hov O, Penkett SA, Isaksen ISA, et al. 1984. Organic gases in the Norwegian arctic. *Geophysical Research Letters* 11:425-428.
- *Howard CJ, Evenson KM. 1976. Rate constants for the reactions of hydroxyl with ethane and some halogen substituted ethanes at 296 K. *J Chem Phys* 64:4303-4306.
- *Howse DC, Shanks GL, Nag S. 1989. Peripheral neuropathy following prolonged exposure to methyl chloroform. In: *Proceedings of the 41st American Academy of Neurology Annual Meeting*, Chicago, IL, April 13-19. *Neurology* 39(Suppl 1):242.
- *Hoyt SD, Smith VL. 1991. Measurement of toxic organic compounds in ambient air using EPA method TO-14. *Capillary Chromatogr* 83-94.
- HSDB. 1988. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD. December 5, 1988.
- *HSDB. 1992. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Program, Bethesda, MD.
- *HSDB. 1994. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD. 1994.
- *HSIA. 1991. Environmental Protection Agency. 8E Submission. Letter to USEPA submitting initial submission regarding information concerning Fischer 344 rats when exposed on gestation day 6 through 10 via the gavage method. U.S. EPA/OPTS Public Files, Washington, DC. Fiche #OTS0529783.
- *Hsu JP, Miller G, Moran V III. 1991. Analytical method for determination of trace organics in gas samples collected by canister. *J Chromatogr Sci* 29(2):83-88.
- *Hubbard SA, Green MH, Bridges BA, et al. 1981. Fluctuation test with S9 and hepatocyte activation. In: *Evaluation of short-term tests for carcinogens: Report of the international collaborative program*. *Prog Mutat Res* 1:361-370.
- *Hubrich C, Stuhl F. 1980. The ultraviolet absorption of some halogenated methanes and ethanes of atmospheric interest. *Journal of Photochemistry* 12:93-107.
- *Hughes JB, Par-kin GF. 1992. The effect of mixtures of xenobiotics and primary electron donor on the anaerobic biotransformations of high concentrations of chlorinated aliphatics. *Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control*, Washington, D.C., USA, May 24-30, 1992. *Water Sci Technol* 26(1-11):117-126.
- Hultman B. 1982. Elimination of organic micropollutants. *Water Science and Technology* 14:73-86.
- Humbert B, et al. 1977. [Exposure to 1,1,1-trichloroethane² study of absorption, excretion and metabolism in humans.] *Arch Mal Prof* 38:415-425. (French)
- *Hutcheon DE, Dapson S, Gilani SH. 1985. Persistent ductus arteriosus in weanling rats maternally exposed to methyl chloroform. *Vast Surg* 19:299.
- *IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol. 20: Some halogenated hydrocarbons. World Health Organization, Lyon, France.
- *IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Supplement 7: Overall evaluations of carcinogenicity:

8. REFERENCES

- Ichinotsubo D, Mower H, Mandel M. 1981. Mutagen testing of a series of paired compounds with the Ames Salmonella testing system. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1:298-301.
- *Ichinotsubo D, Mower H, Mandel M. 1981. Testing of a series of paired compounds (carcinogen and noncarcinogenic structural analog) by DNA repair-deficient *E. coli* strains. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1: 195-198.
- *Ikatsu H, Nakajima T. 1992. Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. *Arch Toxicol* 66:580-586.
- Ikeda M, Hirayama T. 1978. Possible metabolic interaction of styrene with organic solvents. *Stand J Work Environ Health* 4:41-46.
- *Ikeda M, Ohtsuiji H. 1972. A comparative study of the excretion of Fujiwara reaction-positive substances in urine of humans and rodents given trichloro- or tetrachloro- derivatives of ethane and ethylene. *Br J Ind Med* 29:99-104.
- Ikeda M, Ohtsuk T. 1985. Exposure concentration versus environmental concentration: A field survey in organic solvent workplaces. *J Exp Med* 146:225-235.
- *Imbriani M, Ghittori S, Pezzagno G, et al. 1988. 1,1,1-Trichloroethane (methyl chloroform) in urine as biological index of exposure. *Am J Ind Med* 13:211-222.
- *Ingber A. 1991. Occupational allergic contact dermatitis from methyl chloroform (1,1,1-trichloroethane). *Contact Dermatitis* 25:193.
- Iregren A, Gamberale F. 1990. Human behavioral toxicology: Central nervous effects of low-dose exposure to neurotoxic substances in the work environment. In: Behavioral and Psychophysiological Effects of the Physical Work Environment International Workshop, Stockholm, Sweden, April, 1988. *Stand J Work Environ Health* 16(Suppl 1):17-25.
- *IRIS. 1994. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC.
- *Isacson P, Bean JA, Splinter R, et al. 1985. Drinking water and cancer incidence in Iowa. III. Association of cancer with indices of contamination. *Am J Epidemiol* 121:856-869.
- IT Corporation. 1985. Phase II site assessment, Broadview, Illinois Plant. TSCA Health and Safety Studies. 8D submission #878216377.
- IT Corporation. 1985. Preliminary site assessment, site assessment, broadview, Illinois plant. Amphenol Products Division, Industrial and Technology Sector. TSCA Health and Safety Studies. SD submission #878216382.
- Ivanetich KM, Lucas S, Marsh JA. 1978. Organic compounds. Their interaction with and degradation of hepatic microsomal drug-metabolizing enzymes in vitro. *Drug Metab Dispos* 6:218-225.
- *Ivanetich KM, Van den Honert, LH. 1981. Chloroethanes: Their metabolism by hepatic cytochrome P-450 in vitro. *Carcinogenesis* 2:697-702.
- *Jagannath DR, Vultaggio DM, Brusick DJ. 1981. Genetic activity of 42 coded compounds in the mitotic gene conversion assay using *Saccharomyces cerevisiae* strain D4. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1:456-467.

8. REFERENCES

- Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol* 63:181-187.
- Jarkman S, Skoog KO, Nilsson SEG. 1985. The c-wave of the electroretinogram and the standing potential of the eye as highly sensitive measures of effects of low doses of trichloroethylene, methylchloroform, and halothane. *Doc Ophthalmol* 60:375-382.
- *Jeong KM Hsu KJ, Jeffries JB, et al. 1984. Kinetics of the reactions of hydroxyl with ethane, 1, 1, 1-trichloroethane, 1,1,2-trichloroethane, 1,1-difluoro-1,2-dichloroethane, and 1,1,1,2-tetrafluoroethane. *J Phys Chem* 88:1222-1226.
- *Jiang Z, Taylor PH, Dellinger B. 1992. Laser photolysis/laser-induced fluorescence studies of the reaction of hydroxyl with 1,1,1-trichloroethane over an extended temperature range. *J Phys Chem* 96(22):8961-8964.
- Johanson G, Filser JG. 1992. Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. *Arch Toxicol* 66:291-295.
- John JA, Wrobiewski DJ, Schwetz BA. 1984. Teratogenicity of experimental and occupational exposure to industrial chemicals. *Issues and Reviews in Teratology* 2:267-324.
- *Jones RD, Winter DP. 1983. Two case reports of deaths on industrial premises attributed to 1,1,1-trichloroethane. *Arch Environ Health* 38:59-61.
- *Jung WT, Fujita M, Sohn D. 1992. Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes. *Jpn J Toxicol Environ Health* 38(6):490-497.
- *Kada T. 1981. The DNA-damaging activity of 42 coded compounds in the ret-assay. In: *Evaluation of short-term tests for carcinogens: Report of the international collaborative program*. *Prog Mutat Res* 1:175-182.
- Kaiser KLE, Comba ME. 1983. Volatile contaminants in the Welland River watershed. *Journal of Great Lakes Research* 9:274-280.
- *Kaiser KLE, Comba ME, Huneault H. 1983. Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *Journal of Great Lakes Research* 9:212-223.
- *Kaiser LKE, Comba ME. 1986. Tracking river plumes with volatile halocarbon contaminants: The St. Clair River-Lake St. Clair example. *Environmental Toxicology and Chemistry* 5:965-976.
- *Kallman MJ, Kaempf GL. 1984. Efficacy of choice testing of predict chronic ingestion of drinking solutions adulterated with chemicals. *Pharmacol Biochem Behav* 20: 195-200.
- Kaneko T, Wang PY, Sato A. 1994. Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med* 51: 13-119.
- *Karlsson JE, Rosengren LE, Kjellstrand P, et al. 1987. Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain. *Stand J Work Environ Health* 13:453-458.
- *Kassinova GV, Kovaltsova SV, Marfin SV, et al. 1981. Activity of 40 coded compounds in differential inhibition and mitotic crossing-over assays in yeast. In: *Evaluation of short-term tests for carcinogens: Report of the international collaborative program*. *Prog Mutat Res* 1:434-455.

8. REFERENCES

- *Katz M, Heddle JA, Salamone MF. 1981. Mutagenic activity of polycyclic aromatic hydrocarbons and other environmental pollutants. *Chem Anal Biol Fate: Polynucl Aromat Hydrocarbons, Int Sym* 5:519-528.
- Katz R, Gray S. 1979. Initial report on the findings of the state air monitoring program for selected volatile organic substances in air. N J Department of Environmental Protection 1626: 19.
- *Kawai T, Yamaoka K, Uchida Y, et al. 1991. Exposure of 1,1,1-trichloroethane and dose-related excretion of metabolites in urine of printing workers. *Toxicol Lett* 55:39-45.
- *Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. *Environmental Science and Technology* 17:497-501.
- Kawasaki M. 1980. Experiences with the test scheme under the Chemical Control Law of Japan: An approach to structure-activity correlations. *Ecotoxicol Environ Safety* 4:444-454.
- *Kefalas V, Stacey NH. 1991. Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. *Toxicol Appl Pharmacol* 109:171-179.
- Keith LH. 1974. Chemical characterization of industrial wastewaters by gas chromatography-mass spectrometry. *Sci Total Environ* 3:87-102.
- *Kelafant GA, Berg RA, Schleenbaker R. 1994. Toxic encephalopathy due to 1,1,1-trichloroethane exposure. *Am J Ind Med* 25:439-446.
- *Kelly KJ, Ruffing R. 1993. Acute eosinophilic pneumonia following intentional inhalation of Scotchguard. *Ann Allergy* 71:358-361.
- Keogh AM, Ibels LS, Allen DH, et al. 1984. Exacerbation of Goodpasture's syndrome after inadvertent exposure to hydrocarbon fumes. *Br Med J* 288:188.
- Khalil MAK, Rasmussen RA. 1981. Methylchloroform: Cycles of global emissions. *Environmental Science and Technology* 15: 1506- 1508.
- *Khalil MAK, Rasmussen RA. 1983. Gaseous tracers of arctic haze. *Environmental Science and Technology* 17:157-164.
- Khalil MAK, Rasmussen RA. 1984. Methylchloroform: Global distribution, seasonal cycles, and anthropogenic chlorine. *Chemosphere*. 13:789-800.
- *Khalil MAK, Rasmussen RA. 1989. The role of methyl chloroform in the global chlorine budget. *Air and Waste Management Annual Meeting* 82: 2-15.
- *Khalil MAK, Rasmussen RA. 1993. Arctic haze: patterns and relationships to regional signatures of trace gases. *Global Biogeochem Cycles* 7(1):27-36.
- *Kincannon DF, Stover EL, Nichols V, et al. 1983a. Removal mechanisms for toxic priority pollutants. *J Water Pollut Control Fed* 55:157-163.
- *Kincannon DF, Weiner-t A, Padorr R, et al. 1983b. Predicting treatability of multiple organic priority pollutant waste water from single-pollutant treatability studies. In: Bell JM, ed. *Proceedings of 37th Industrial Waste Conference*. Ann Arbor, MI: Ann Arbor Science Pub., 641-650.
- *King GS, Smialek JE, Troutman WG. 1985. Sudden death in adolescents resulting from the inhalation of typewriter correction fluid. *JAMA* 253:1604-1606.

8. REFERENCES

- King L, Sherbin G. 1986. Point sources of toxic organics to the upper St. Clair River. *Water Pollution Research Journal of Canada* 21:433-446.
- *Kinkead ER, Leahy HF. 1987. Evaluation of the acute toxicity of selected groundwater contaminants. Harry G. Armstrong Aerospace Medical Research Lab (AAMRL-TR-87-021), 10.
- *Kinkead ER, Wolfe RE. 1992. Single oral toxicity of various organic compounds. *J Am Coll Toxicol* 11:713.
- Kishi R, Miyake H. 1990. [Acute and chronic effects of organic solvents on the central nervous system: Use of psychobehavioral performance tests in the assessment of toxicity.] *Jpn J Ind Health* 32:3-17. (Japanese)
- *Kjellstrand P, Bjerkemo M, Adler-Maihofer M. 1985b. Effects of solvent exposure on testosterone levels and butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol (Copenh)* 57:242-249.
- *Kjellstrand P, Holmquist B, Jonsson I, et al. 1985a. Effects of organic solvents on motor activity in mice. *Toxicology* 35:35-46.
- *Kjellstrand P, Mansson L, Holmquist B, et al. 1990. Tolerance during inhalation of organic solvents. *Pharmacol Toxicol* 66:409-414.
- *Klaassen CD, Plaa GL. 1966. Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol* 9: 139- 151.
- Klaassen CD, Plaa GL. 1969. Comparison of the biochemical alterations elicited in livers from rats treated with carbon tetrachloride, chloroform, 1,1,2- trichloroethane and 1,1,1 -trichloroethane. *Biochem Pharmacol* 18:2019-2022.
- *Klaassen CD, Plaa GL. 1967. Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol* 9: 119-131.
- *Klecka GM. 1990. Biotransformations of 1,1,1-trichloroethane in groundwater. [Accepted for publication by *Environmental Toxicology and Chemistry*].
- *Klecka GM, Gonsior SJ. 1984. Reductive dechlorination of chlorinated methanes and ethanes by reduced iron (II) porphyrins. *Chemosphere* 13:391-402.
- *Klecka GM, Gonsior SJ, Markham DA. 1990. Biological transformations of 1,1,1-trichloroethane in subsurface soils and ground water. *Environmental Toxicology and Chemistry* 9:1437-1451.
- Kobayashi H, Hobara T, Hirota H, et al. 1983. Neural control of blood pressure following 1,1,1-trichloroethane inhalation; A role of sympathetic nervous system. *Arch Environ Health* 38:93-98.
- Kobayashi H, Hobara T, Kawamoto T. 1987. Reflex apnea arising from the upper respiratory tract following acute 1,1,1-trichloroethane inhalation. In: *Asia-Pacific Symposium held at the ICMR Seminar. Environmental and Occupational Toxicology*, 447-452.
- *Kobayashi H, Hobara T, Kawamoto T. 1988. Influence of heart rate on left ventricular dp/dt following 1,1,1-trichloroethane inhalation. *Arch Environ Health* 43:430-435.
- Kobayashi H, Hobara T, Kawamoto T, et al. 1984. Peripheral vasodilatation following 1,1,1-trichloroethane inhalation: Peripheral vessels as a site of action. *Arch Environ Health* 39:294-298.
- Kobayashi H, Hobara T, Kawamoto T, et al. 1987. Effect of 1,1,1-trichloroethane inhalation on heart rate and its mechanism: A role of autonomic nervous system. *Arch Environ Health* 42:140-143.

8. REFERENCES

- Kobayashi H, Hobara T, Sakai T. 1989. [Effects of inhalation of several organic solvents on left ventricular dp-dt.] *Jpn J Ind Health* 3 1: 136- 141. (Japanese)
- Kobayashi H, Hobara T, Satoh T, et al. 1986. Respiratory disorders following 1,1,1-trichloroethane inhalation: A role of reflex mechanism arising from lungs. *Arch Environ Health* 41:149-154.
- Kobayashi H, Ogino K, Gotoh M, et al. 1991. [Acute effect of 1,1,1-trichloroethane inhalation on ventricular fibrillation threshold.] *Sangyo Igaku* 33:196-197. (Japanese)
- Koizumi A, Fujita H, Sadamoto T, et al. 1984. Inhibition of delta-aminolevulinic acid dehydratase by trichloroethylene. *Toxicology* 30:93-102.
- *Koizumi A, Kumai M, Ikeda M. 1983. Dose-dependent induction and suppression of liver mixed-function oxidase system in chlorinated hydrocarbon solvent metabolism. *J Appl Toxicol* 3:208-217.
- *Kominsky JR. 1976. Health hazard evaluation: Determination report 76-24-350. Dana Corporation, Tipton, IN. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB-273716.
- *Kominsky JR, Lipscomb J. 1985. Health hazard evaluation: Report HETA 81-415-1385. High Voltage Maintenance Corporation, Mentor, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 14. NTIS PB85-177525.
- Konasewich D, Traversy W, Zar H. 1978. Status report on organic and heavy metal contaminants in the Lakes Erie, Michigan, Huron and Superior Basins. Great Lakes Water Quality Board.
- Konietzko H. 1984. Chlorinated ethanes: Sources, distribution, environmental impact, and health effects. *Hazard Assessments of Chemicals* 3:401-448.
- *Korpela M. 1989. Inhibition of synaptosome membrane-bound integral enzymes by organic solvents. *Stand J Work Environ Health* 15:64-68.
- Korpela M, Tahti H. 1986. The effect of selected organic solvents on intact human red cell membrane acetylcholinesterase in vitro. *Toxicol Appl Pharmacol* 85:257-262.
- Korpela M, Tahti H. 1987. Effects of industrial organic solvents on human erythrocyte membrane adenosine triphosphatase activities in vitro. *Stand J Work Environ Health* 13:513-517.
- Kosson DS, Dienemann EA, Ahlert RC. 1985. Characterization and treatability studies of an industrial landfill leachate (KIN-BUC I). In: *Proceedings of Industrial Waste Conference* 39:329-341.
- *Kramer CG, Ott MG, Fulkerson JE, et al. 1978. Health of workers exposed to 1,1,1-trichloroethane: A matched-pair study. *Arch Environ Health* 33:331-342.
- *Krantz JC Jr, Park CS, Ling JSL. 1959. Anesthesia Lx: The anesthetic properties of 1,1,1-trichloroethane. *Anesthesiology* 20:635-640.
- *Kreamer DK. 1984. Evaluation of selected halocarbons and trace gases for potential use as indicators of groundwater movement and source (and contaminant movement in the vadose zone). Govt Rep Announce Ind, Issue 03. NTIS PB84-117266.
- *Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *Journal of the American Water Works Association* 78:70-75.

8. REFERENCES

- Krivanek NO. 1978. Comparison of conditioned avoidance and unconditioned reflex tests in rats exposed by inhalation to carbon monoxide 1,1,1-trichloroethane toluene or ethanol. In: Proceedings of the 17th Society of Toxicology Annual Meeting, March 12-16. Washington, DC: Society of Toxicology.
- Kroneld R. 1989. Volatile pollutants in the environment and human tissues. *Bull Environ Contam Toxicol* 42:873-877.
- Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. *Bull Environ Contam Toxicol* 44:917-923.
- *Kronevi T, Wahlberg JE, Holmberg B. 1981. Skin pathology following epicutaneous exposure to seven organic solvents. *Int J Tissue React* 3:21-30.
- Krost KJ, Pellizzati ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. *Anal Chem* 54:810-817.
- *Krotoszynski BK, Bruneau GM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. *J Anal Toxicol* 3:225-234.
- Kukongviriyapan V, Kukongviriyapan U, Stacey NH. 1990. Interference with hepatocellular substrate uptake by 1,1,1-trichloroethane and tetrachloroethylene. *Toxicol Appl Pharmacol* 102:80-90.
- *Kupferschmid LL, Perkins JL. 1986. Organic solvent recycling plant exposure levels. *Appl Ind Hyg* 1:122-124.
- *Kusakabe K, Aso S, Wada T, et al. 1991. Destruction rate of volatile organochlorine compounds in water by ozonation with UV radiation. *Water Res* 25(10):1199-1204.
- Kyrklund T. 1992. The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: acute and chronic exposures to organic solvents. *Am J Ind Med* 21:15-24.
- Kyrklund T, Haglid KG. 1990. Brain lipid changes after organic solvent exposure. *Ups J Med Sci [Suppl]* 48:267-277.
- *Kyrklund T, Haglid KG. 1991. Exposure of rats to high concentrations of 1,1,1-trichloroethane and its effects on brain lipid and fatty acid composition. *Pharmacol Toxicol* 67:384-386.
- *Kyrklund T, Kjellstrand P, Haglid KG. 1988. Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid
- Lacouture PG, Lesko SM, Hassen LV, et al. 1989. Adhesive tape remover pads: A risk to the newborn? *Am J Dis Child* 143:1391.
- *La1 H, Shah HC. 1970. Effect of methylchloroform inhalation on barbiturate hypnosis and hepatic drug metabolism in male mice. *Toxicol Appl Pharmacol* 17:625-633.
- “Lancar I, Le Bras G, Poulet G. 1993. Oxidation of 1,1,1-trichloroethane and 1,1-dichloro-1-fluoroethane in the atmosphere: kinetic study of hydroxyl reactions. *J Chim Phys Phys-Chim Biol* 90(10):1897-908.
- Landry TD, Calhoun LL, Lomax LG, et al. 1988. An acute inhalation study of aerosolized 1,1,1-trichloroethane in rats. The Dow Chemical Company.
- *Lane RW, Riddle BL, Borzelleca JF. 1982. Effects of 1,2-dichloroethane and 1,1,1-trichloroethane in drinking water on reproduction and development in mice. *Toxicol Appl Pharmacol* 63:409-421.

8. REFERENCES

- Langvardt PW, Ramstad T. 1981. Gas chromatography of some volatile organic compounds using oronite NIW on carbopack supports. *J Chromatogr Sci* 19:536-542.
- *Laregina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. An up-to-date review of the present situation. *Environ Prog* 5:18-27.
- Larsby B, Tham R, Odkvist LM, et al. 1978. Exposure of rabbits to methylchloroform: Vestibular disturbances correlated to blood and cerebrospinal fluid levels. *Int Arch Occup Environ Health* 41:7-16.
- *Lattanzi G, Colacci A, Grilli S, et al. 1988. Binding of hexachloroethane to biological macromolecules from rat and mouse organs. *J Toxicol Environ Health* 24:403-411.
- *Lazarew NW. 1929. [Concerning the strength of the narcotic effects of the vapors of the chlorine derivatives of the methanes, ethanes and ethylenes.] *Archiv fuer Experimentelle Pathologie und Pharmakologie* 141: 19-24. (German)
- Lee GW Jr, Jones RD, Knowles GD, et al. 1983. Investigation of subsurface discharge from a metal finishing industry. In: *Proceedings of National Conference, Management of Uncontrolled Hazardous Waste Sites*, Washington DC, 346-351.
- *Lee SA. 1984. Health hazard evaluation: Report HETA 82-196-1187. Department of Treasury, Bureau of Government Financial Operations, Washington, DC. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 08. NTIS PB84-150093.
- *Leisinger T, 1990. Microorganisms for the introduction of chlorinated aliphatic hydrocarbons into the carbon cycle. Mongkolsuk S, Lovett PS, Trempey JE, eds. *Biotechnology and Environmental Science: Molecular Approaches: International Conference, Bangkok, Thailand, Aug 21-24, 1990*. Plenum Press. 230p.
- *Leung HW. 1992. Use of physiologically based pharmacokinetic models to establish biological exposure indexes. *Am Ind Hyg Assoc J* 53:369-374.
- *Levine SP, Costello RJ, Ceraci CL, et al. 1985. Air monitoring at the drum bulking process of a hazardous waste remedial action site. *Am Ind Hyg Assoc J* 46:192-196.
- *Levy BSB, Meyer CR. 1977. Health hazard evaluation: Determination report 76-1-388. Bohn Aluminum and Brass Corporation, Danville, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB-273733.
- *Lillian D, Singh HB, Appleby A, et al. 1975. Atmospheric fates of halogenated compounds. *Environmental Science and Technology* 9: 1042-1048.
- *Lindahl-Kiessling K, Karlberg I, Olofsson AM. 1989. Induction of sister-chromatid exchanges by direct and indirect mutagens in human lymphocytes co-cultured with intact rat liver cells: Effect of enzyme induction and preservation of the liver cells by freezing in liquid nitrogen. *Mutat Res* 211:77-87.
- *Lindbohm ML, Taskinen H, Sallmen M, et al. 1990. Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med* 17:449-463.
- *Lioy PJ, Wallace LA, Pellizzari E. 1991. Indoor/outdoor, and personal monitor and breath analysis relationships for selected volatile organic compounds measured at three homes during New Jersey Team-1987. *J Exp Anal Environ Epidemiol* 1(1):45-61.

8. REFERENCES

- *Liss GM. 1988. Peripheral neuropathy in two workers exposed to 1,1, 1-trichloroethane. JAMA 260:2217.
- Litt IF, Cohen MI. 1969. "Danger...vapor harmful": Spot-remover sniffing. N Engl J Med 281:543-544.
- *Loprieno N. 1981. Screening of coded carcinogenic/noncarcinogenic chemicals by a forward-mutation system with the yeast *Schizosaccharomyces pombe*. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:424-433.
- Lovelock JE. 1974. Atmospheric halocarbons and stratospheric ozone. Nature 252:292-294.
- Lovelock JE. 1977. Methyl chloroform in the troposphere as an indicator of hydroxyl radical abundance. Nature 267:32.
- *Lue-Hing C, Lordi DT, Kelada NP. 1981. Fate of priority pollutants in large municipal treatment plants. American Institute of Chemical Engineers Symposium Series 77, 144-150.
- Lundberg I, Ekdahl M, Kronevi T, et al. 1986. Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure to rats. Environ Res 40:411-420.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. Environmental behavior of organic compounds. New York, NY: McGraw-Hill Book Co., 960.
- Lyman WJ, Reehl WF, Rosenblatt DH, eds. 1990. Handbook of chemical property estimation methods. Washington, DC: American Chemical Society.
- *MacDonald DJ. 1981. Salmonella/microsome tests on 42 coded chemicals. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:285-297.
- *MacDougall IC, Isles C, Oliver JS, et al. 1987. Fatal outcome following inhalation of Tipp-Ex. Scott Med J 32:55.
- *MacEwen JC, Vemot EH. 1974. The biological effect of continuous inhalation exposure of 1,1,1-trichloroethane (methyl chloroform) on animals. In: 1974 Toxic Hazards Res Annual Technical Report (AMRL-TR-74-78), 81-90.
- *Mackay. 1990. 1,1,1-Trichloroethane: An evaluation in the mouse micronucleus test (final report) with attachments and cover letter dated 10/22/90. Submitted by Halogenated Solvents Industry. U.S. EPA/OPTS Public Files, Washington, DC. Fiche #OTS0533133. [Unpublished study]
- *Mackay CJ, Campbell L, Samuel AM, et al. 1987. Behavioral changes during exposure to 1,1,1-trichloroethane: Time-course and relationship to blood solvent levels. Am J Ind Med 11:223-240.
- Maedgen JL, Fairchild EJ, Dallas CE, et al. 1985. Comparison of the uptake and elimination of inhaled trichloroethylene and 1,1,1-trichloroethane. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22. Washington, DC: Society of Toxicology.
- Makide Y, Kanai Y, Tominaga T. 1980. Background atmospheric concentrations of halogenated hydrocarbons in Japan. Bull Chem Soc Jpn 53:2681-2682.
- Makide Y, Tominaga T, Rowland FS. 1979. Gas chromatographic analysis of halogenated hydrocarbons in air over Japan. Chem Lett 4:355-358.
- *Maklan DM, Steele DH, Dietz SK, et al. 1987. Household solvent products: A "shelf" survey with laboratory analysis. Govt Rep Announce Ind, Issue 07. NTIS PB88-132899.

8. REFERENCES

- Mallevalle J, Brodard E, Charles P, et al. 1985. Removal of halogenated hydrocarbons from groundwaters from the Croissy and Aubergenville water tables. *Water Supply*. 3:211-217.
- Malonova H, Bardodej Z. 1983. Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. *J Hyg Epidemiol Microbial Immunol* 27:319-328.
- *Maltoni C, Cotti G, Patella V. 1986. Results of long-term carcinogenicity bioassays on Sprague-Dawley rats of methyl chloroform, administered by ingestion. *Acta Oncol* 7: 101-117.
- *Mann LJ, Knobel LL. 1988. Purgeable organic compounds in ground water at the Idaho National Engineering Laboratory, Idaho. Govt Rep Announce Ind, Issue 13. NTIS DE88005274.
- *MAORS. 1989. Massachusetts drinking water standards and guidelines. Written Communication, May 8. Office of Research and Standards, Boston, MA.
- Marjot R, McLeod AA. 1989. Chronic non-neurological toxicity from volatile substance abuse. In: *Proceedings of Meeting on Volatile Substance Abuse* London, England, 1988. *Hum Toxicol* 8:301-306.
- *Markel HL Jr. 1977. Health hazard evaluation: Determination report 76-42-407. Sibley Engineering and Manufacturing Company, Sulphur Springs, AR. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB-274227.
- *Maroni M, Bulgheroni C, Grazia CM, et al. 1977. A clinical, neurophysiological and behavioral study of female workers exposed to 1,1,1-trichloroethane. *Stand J Work Environ Health* 3:16-22.
- *Mart CJ, Henke CB. 1992. Emissions from the incineration of nerve agent rockets containing low-level PCBs. *J Environ Sci Health Part A: Environ Sci Eng* 27(6):1549-1575.
- *Martin CN, McDermid AC. 1981. Testing of 42 coded compounds for their ability to induce unscheduled DNA repair synthesis in HeLa cells. In: *Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program*. *Prog Mutat Res* 1:533-537.
- *Martire G, Vricella G, Perfumo AM, et al. 1981. Evaluation of the mutagenic activity of coded compounds in the Salmonella test. In: *Evaluation of short-term tests for carcinogens: Report of the International Collaborative program*. *Prog Mutat Res* 1:271-279.
- *Marzulli FN, Ruggles DI. 1973. Rabbit eye irritation test: Collaborative study. *J Assoc Off Anal Chem* 56:905-914.
- *Massachusetts Department Public Health. 1989. Health assessment for PSC Resources, Inc., Palmer, Massachusetts, Region 1. CERCLIS no. MAD980731483. NTIS PB90-136169.
- *Matsushima T, Takamoto Y, Shirai A, et al. 1981. Reverse mutation test on 42 coded compounds with the E. coli WP2 system. In: *Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program*. *Prog Mutat Res* 1:387-395.]
- *“Mattie DR, Bates GD Jr, Jepson GW, et al. 1994. Determination of skin:air partition coefficients for volatile chemicals: experimental method and applications. *Fundam Appl Toxicol* 22(1):51-57.
- *Mattsson JL, Albee RR, Lomax LG, et al. 1993. Neurotoxicologic examination of rats exposed to 1,1,1-trichloroethane vapor for 13 weeks. *Neurotoxicol Teratol* 15:313-326.
- McBride P, Busuttill A. 1990. A new trend in solvent abuse deaths. *Med Sci Law* 30:207-213.

8. REFERENCES

- *McCarthy TB, Jones RD. 1983. Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med* 40:450-455.
- *McCarty PL. 1993. In-situ bioremediation of chlorinated solvents. *Curr Opin Biotechnol* 4(3):323-330.
- *McCarty PL, Reinhard M. 1980. Trace organics removal by advanced wastewater treatment. *J Water Pollut Control Fed* 52: 1907-1922.
- McConnell G. 1976. Halo organics in water supplies. *Journal of the Institution of Water Engineers and Scientists* 30:43 1-445.
- McConnell G, Ferguson DM, Pearson CR. 1975. Chlorinated hydrocarbons and the environment. *Endeavor* 34: 13-18.
- *McDonald TJ, Kennicutt MC, Brooks JM. 1988. Volatile organic compounds at a coastal Gulf of Mexico site. *Chemosphere* 17: 123-136.
- *McGlothlin JD, Cone JE. 1983. Health hazard evaluation: Report HETA 81-207-945. Metropolitan Sewer District, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 05. NTIS PB83-127399.
- *McKone TE. 1987. Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. *Environmental Science and Technology* 21:1194-1201.
- *McLeod AA, Marjot R, Monaghan MJ. 1987. Chronic cardiac toxicity after inhalation of 1,1,1-trichloroethane. *Br Med J* 294:727-729.
- *McNutt NS, Amster RL, McConnell EE, et al. 1975. Hepatic lesions in mice after continuous inhalation exposure to 1,1,1-trichloroethane. *Lab Invest* 32:642-654.
- *McQuilkin SD, Singal M, Shea L. 1979. Health hazard evaluation: Project HE 79-49-631. Dana Corporation-Spicer Universal Joint Division, Marion, IN. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-195290.
- *Mehran MF, Golkar N, Mehran M, et al. 1988a. Gas chromatographic determination of acetic acid in the hydrolysis of 1,1,1-trichloroethane by direct aqueous injection. *Journal of High Resolution Chromatography and Chromatography Communications* 11:610-612.
- Mehran MF, Golkar N, Mehran M, et al. 1988b. Abiotic transformation of halogenated organic-compounds. 3. Gas-chromatographic determination of acetic-acid (in the hydrolysis of 1,1,1-trichloroethane) by direct aqueous injection. *Journal of High Resolution Chromatography and Chromatography Communications* VII:610-612.
- *Mehta RD, Von Borstel RC. 1981. Mutagenic activity of 42 encoded compounds in the haploid yeast reversion assay, strain XV185-14C. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. *Prog Mutat Res* 1:414-423.
- Mellstrom GA, Boman A. 1992. Comparative evaluation of permeation testing of protective gloves to solvents: In vitro in permeation cells versus in vivo in guinea pigs. *Contact Dermatitis* 26:120-127.
- *Mercier M. 1977. Criteria (exposure/effect relationships) for organochlorine solvents. V/F/I/Luxemburg 4:1. (As cited in Northfield 1981)

8. REFERENCES

- Mercier M, Lans M, deGerlache J. 1984. Mutagenicity, carcinogenicity, and teratogenicity of halogenated hydrocarbon solvents. In: Kirsch-Velders M, ed.
- *Merck. 1989. Merck index: an encyclopedia of chemicals, drugs, and biologicals. 11th ed. Budavari S, ed. Rahway NJ: Merck & Co., Inc.
- *Mersch-Sundermann V. 1989. Examination of the mutagenicity of organic microcontaminations on the environment. Part II. The mutagenicity of halogenated aliphatic hydrocarbons in the Salmonella-microsome-test (Ames-test) with reference to the contamination of ground and drinking water. Zentralbl Bakteriell Mikrobiol Hyg [B] 187:230-243.
- Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. Anal Chem 52: 1836.
- Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of procedure for determining volatile organics in water. Environmental Science and Technology 22:565.
- *Midgley PM. 1989. The production and release to the atmosphere of 1,1,1-trichloroethane (methyl chloroform). Atmos Environ 22:2263-2265.
- *Miller LJ, Uhler AD. 1988. Volatile halocarbons in butter: Elevated tetrachloroethylene levels in samples obtained in close proximity to dry-cleaning establishments. Bull Environ Contam Toxicol 41:469-474.
- Milman HA, Mitoma C, Tyson C, et al. 1984. Comparative pharmacokinetics/metabolism, carcinogenicity, and mutagenicity of chlorinated ethanes and ethylenes (meeting abstract). International Conference on Organic Solvent Toxicity, 19.
- *Milman HA, Story DL, Riccio ES, et al. 1988. Rat liver foci and in vitro assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. Ann N Y Acad Sci 534:521-530.
- Mitchell AD, Myhr BC, Ridd CJ, et al. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Methods used and chemicals evaluated. Environ Mol Mutagen 12(Suppl 13):1-18.
- *Mitchell AD, Rudd CJ, Caspary WJ. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Intralaboratory results for sixty-three coded chemicals tested at SRI International. Environ Mol Mutagen 12(Suppl 13):37-101.
- *Mitoma C, Steeger T, Jackson SE, et al. 1985. Metabolic disposition study of chlorinated hydrocarbons in rats and mice. Drug Chem Toxicol 8:183-194.
- Mochida K, Saito K. 1985. Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane using human and monkey cells. Bull Environ Contam Toxicol 35:593-595.
- Monitoring and Modeling Workshop, Cambridge, MA, USA, September 30-October 2, 1985. Atmos Environ 22:2141-2164.
- Monster AC. 1979. Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene. Int Arch Occup Environ Health 42:311.
- Monster AC. 1984. Biological monitoring and surveillance of workers exposed to chemicals. Aitio A, Riihimäki V, Vainio H, eds. Washington, DC: Hemisphere Publishing Corporation, 141-150.
- *Monster AC. 1986. Biological monitoring of chlorinated hydrocarbon solvents. J Occup Med 28:583-588.

8. REFERENCES

- *Monster AC. 1988. Biological markers of solvent exposure. *Arch Environ Health* 43:90-93.
- *Monster AC Boersma G, Steenweg H. 1979. Kinetics of 1,1,1-trichloroethane in volunteers; influence of exposure concentration and work load. *Int Arch Occup Environ Health* 42:293-30.
- Monster AC, Houtkooper JM. 1979. Estimation of individual uptake of trichloroethylene, 1,1, 1 -trichloroethane and tetrachloroethylene from biological parameters. *Int Arch Occup Environ Health* 42:3 19-320.
- *Morgan A, Black A, Belcher DR. 1970. The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. *Ann Occup Hyg* 13:219-233.
- *Morgan A, Black A, Belcher DR. 1972a. Studies on the absorption of halogenated hydrocarbons and their excretion in breath using ^{38}Cl tracer techniques. *Ann Occup Hyg* 1.5:273-282.
- *Morgan A, Black A, Walsh M, et al. 1972b. The absorption and retention of inhaled fluorinated hydrocarbon vapours. *Int J Appl Radiat Isot* 23:285-291.
- *Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res* 5.5:51-63.
- Moser VC, Balster RL. 1982. Effects of dynamic exposure to 1,1,1-trichloroethane on fixed-ratio performance in mice. In: *Proceedings of the 66th Federation of American Societies for Experimental Biology Annual Meeting*, New Orleans, LA, April 15-23, 1982. *Fed Proc* March:P7401.
- *Moser VC, Balster RL. 1985. Acute motor and lethal effects of inhaled toluene, 1,1,1-trichloroethane, halothane, and ethanol in mice: Effects of exposure duration. *Toxicol Appl Pharmacol* 77:285-291.
- *Moser VC, Balster RL. 1986. The effects of inhaled toluene, halothane, 1,1,1-trichloroethane, and ethanol on fixed-interval responding in mice. *Neurobehav Toxicol Teratol* 8:525-532.
- *Moser VC, Scimeca JA, Balster RL. 1985. Minimal tolerance to the effects of 1,1,1-trichloroethane on fixed-ratio responding in mice. *Neurotoxicology* 6:35-42.
- *Mudder TI, Musterman JL. 1982. Development of empirical structure biodegradability relationships and biodegradability testing protocol for volatile and slightly soluble priority pollutants. Presented to the Division of Environmental Chemistry of the American Chemical Society, Kansas City, MO, September 1982, .52-53.
- Mulcahy MFR, Nelson PF, Smith MY, et al. 1976. Smog forming hydrocarbons in urban air. In: *Symposium Workshop Session: Occurrence Control Photochem Pollution*, Paper IV.
- *Mullin LS, Krivanek ND. 1982. Comparison of unconditioned reflex and conditioned avoidance tests in rats exposed by inhalation to carbon monoxide, 1,1,1-trichloroethane, toluene or ethanol. *Neurotoxicology* 3:126-137.
- Murayama JI, Ishiwata M, Fukui M. 1990. Comparative acute cytotoxicities of 37 xenobiotics detected in drinking water to rat hepatocyte primary culture. *Eisei Kagaku* 36:267-276.
- *Myhr BC, Caspary WJ. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Intralaboratory results for sixty-three coded chemicals tested at Litton Bionetics Inc. *Environ Mol Mutagen* 12(Suppl 13):103-194.
- Nachreiner DJ, Dodd DE. 1987. Acute aerosol inhalation toxicity test (T-4015) with cover letters dated 4/6/87 and 5/6/87. U.S. EPA/OPTS Public Files, Washington, DC. Fiche #OTS050971 1-3.
[Unpublished study]

8. REFERENCES

- Nachreiner DJ, Dodd DE. 1987. Aerothene² TT solvent: Acute inhalation toxicity test. Bushy Run Research Center, Union Carbide Corporation, Export PA.]
- Nachreiner DJ, Dodd DE. 1988. Aerothene² TT solvent: Acute inhalation toxicity test in rats. Bushy Run Research Center, Union Carbide Corporation, Export PA.
- *Nagao M, Takahashi Y. 1983. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. *Prog Mutat Res* 1:302-313.
- *Nakamura S, Oda Y, Shimada T, et al. 1987. SOS-inducing activity of chemical carcinogens and mutagens in Salmonella typhimurium TA1535/pSK1002: Examination with 151 chemicals. *Mutat Res* 192:239-246.
- *Namkung E, Rittmann BE. 1987. Estimating volatile organic compound emissions from publicly owned treatment works. *J Water Pollut Control Fed* 59:607-678.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1992. National Air Toxics Information Clearinghouse. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC and State and Territorial Pollution Program Administrators/Association of Local Air Pollution Control Officials, September 1991, 4-202. NTIS PB92- 143700.
- *NCI. 1977. Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. National Cancer Institute Carcinogenesis Technical Report Series 3. NTIS PB265082.
- Nelson BK. 1985. Developmental neurotoxicology of environmental and industrial agents. *Neurotoxicology*, 163-201.
- Nelson BK. 1986. Behavioral teratology of industrial solvents. In: Riley EP, Vorhees CV. *Handbook of behavioral teratology*. New York: Plenum Press, 391-406.
- Nelson BK. 1986. Developmental neurotoxicology of in utero exposure to industrial solvents in experimental animals. *Neurotoxicology* 7:441-447.
- *Nelson NA, Robins TG, Garrison RP, et al. 1993. Historical characterization of exposure to mixed solvents for an epidemiologic study of automotive assembly plant workers. *Appl Occup Environ Hyg* 8(8):693-702.
- Nelson NA, Robins TG, Port FK. 1990. Solvent nephrotoxicity in humans and experimental animals. *Am J Nephrol* 10: 10-20.
- *Nestmann ER, Lee EGH, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. *Mutat Res* 79:203-212.
- *Nestmann ER, Otson R, Kowbel DJ, et al. 1984. Mutagenicity in a modified Salmonella assay of fabric-protecting products containing 1,1,1-trichloroethane. *Environ Mutagen* 6:71-80.
- Newsom JM. 1985. Transport of organic compounds dissolved in ground water. *Ground Water Monitoring Reviews* 5:28-36.
- *Nilsson KB. 1986a. Actions of 1,1,1-trichloroethane on the CAMP metabolism in mouse brain. *Acta Pharmacol Toxicol (Copenh)* 59:362-369.

8. REFERENCES

*Nilsson KB 1986b. Effects of 1,1,1-trichloroethane on the cGMP metabolism in mouse brain. *Acta Pharmacol Toxicol (Copenh)* 58:3 18-326.

Nilsson KB. 1987. Effects of 1,1,1-trichloroethane on synaptosomal calcium accumulation in mouse brain. *Pharmacol Toxicol* 61:215-219.

NIOSH. 1964. National Institute for Occupational Safety and Health. 1,1,1-Trichloroethane. *Am Ind Hyg Assoc J* 25:585-586.

*NIOSH. 1980a. Health hazard evaluation: Determination report HE 79-51-664. Gates Energy Products, Inc., Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-169097.

*NIOSH. 1980b. Health hazard evaluation: Determination report HE 80-7-661. Jan Clopton Composition, Atlanta, GA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB 80- 169063.

*NIOSH. 1980~. Health hazard evaluation: Determination report HE 78-77-659. R.L. Polk Company, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-169063.

*NIOSH. 1980d. Health hazard evaluation: Determination report HE 80-1 -654. Cobe Laboratories, Inc., Arvada, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. *Govt Rep Announce Ind, Issue 14*. NTIS PB80-165038.

*NIOSH. 1980e. Health hazard evaluation: Report HHE 79-60-690. Stieger Tractor, Inc., Fargo, ND. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. *Govt Rep Announce Ind, Issue 10*. NTIS PB83-149807.

NIOSH. 1982. Health hazard evaluation: Determination report HHE 77-128-470. Bishop Tube Division, Christiana Metals, Inc., Frazer, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. *Govt Rep Announce Ind, Issue 14*. NTIS PB82-174087.

*NIOSH. 1987. Manual of analytical methods: Method no. 1003. Cincinnati, OH: National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 84-100.

*NIOSH. 1990. NIOSH pocket guide to chemical hazards. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health ServiceCenters for Disease Control, National Institute for Occupational Safety and Health, 148.

*NIOSH. 1993. American Fuel Cell and Coated Fabrics Co., Magnolia, AR. NIOSH Health Hazard Evaluation Report. HETA 90-246-2314. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH.

*Nishikawa H, Katami T, Takahara Y, et al. 1992. Emission of organic compounds by combustion of waste plastics involving vinyl chloride polymer. *Chemosphere* 25(12):1953-1960.

*Nishikawa H, Katami T, Yasuhara A. 1993. Contribution of an industrial waste incinerator to the atmospheric concentrations of volatile chlorinated organic compounds. *Chemosphere* 27(8):1425-1432.

8. REFERENCES

- *NOES. 1988. National occupational exposure survey (NOES). Cincinnati, OH: National Institute for Occupational Safety and Health.
- *Nolan RJ, Freshour NL, Rick DL. 1984. Kinetics and metabolism of inhaled methyl chloroform (1,1,1-trichloroethane) in male volunteers. *Fundam Appl Toxicol* 4:654-662.
- *Nerd PJ. 1974. Men's apparel industrywide study: F. Jacobson, Incorporated (Excello Shirt Company), Division of Kayser-Roth Corporation, Seymour, IN. Govt Rep Announce Ind, Issue 03. NTIS PB82-112798.
- *Norman KNT. 1991. A rapid method for the determination of liquid fumigant residues in food commodities using automated headspace analysis. *Pestic Sci* 33:23-34.
- *Northfield RR. 1981. Avoidable deaths due to acute exposure to 1,1,1-trichloroethane. *J Soc Occup Med* 31:164-166.
- Norwood DL, Michael LC, Cooper SD, et al. 1986. An application of the "Master Analytical Scheme" to influent and effluent wastewaters. In: *Advances in water analysis and treatment. Proceedings of Water Quality Technology Conference, Portland, OR, November, 1986*. 365-386.
- *NTDB. 1994. The National Trade Data Bank: import and export data for methylchloroform (1,1,1-trichloroethane). U.S. Department of Commerce, Economics and Statistics Administration.
- *NTP. 1988a. National Toxicology Program. Final report part 1. Developmental toxicity evaluation of 1,1,1-trichloroethane (CAS No. 71-55-6) administered to CD rats. Research Triangle Park, NC: NTIS PB88-131321.
- *NTP. 1988b. National Toxicology Program. Developmental toxicity evaluation of 1,1,1-trichloroethane (CAS No. 71-55-6) administered to CD rats. Final report part 2. Research Triangle Park, NC: NTIS PB88-134101.
- *NTP. 1989a. National Toxicology Program. Fifth annual report on carcinogens summary. NTP 89-293. Research Triangle Park, NC: U.S. Department of Health and Human Services. Prepared for the National Institute of Environmental Health Sciences, by Technical Resources, Inc., Rockville, MD, 115-116, 133-135.
- *NTP. 1989b. National Toxicology Program. Fiscal year 1989 annual plan. NTP 89-167. U.S. Department of Health and Human Services, 102-104.
- *Oblas D, Dugger D, Lieberman S. 1980. The determination of organic species in the telephone central office ambient. *Electrical Contacts* 25:35-39.
- Odkvist LM, Larsby B, Fredrickson MF, et al. 1980. Vestibular and oculomotor disturbances caused by industrial solvents. *J Otolaryngol* 9:53-59.
- Odkvist LM, Larsby B, Tham R, et al. 1979. On the mechanism of vestibular disturbances caused by industrial solvents. *Adv Otorhinolaryngol* 25: 167-172.
- Ogata M, Hasegawa T. 1981. Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. *Ind Health* 19:71-75.
- Ohio River Valley Water Sanitation Commission. 1980. Assessment of water quality Conditions. Ohio River mainstream 1978-9. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.

8. REFERENCES

- Ohio River Valley Water Sanitation Commission. 1982. Assessment of water quality conditions. Ohio River mainstream 1980-81. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.
- *OHM/TADS. 1994. Oil and Hazardous Materials Technical Assistance Data System, U.S. Environmental Protection Agency/National Institute of Health Computer Data Base.
- *Ohno H, Aoyama T. 1991. Simultaneous determination of volatile chlorinated hydrocarbons by dual detection using a semi-wide bore capillary column. *Eisei Kagaku* 37(5):387-394.
- *Ohta T, Morita M, Mizoguchi I. 1976. Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. *Atmos Environ* 10:557-560.
- Ohta T, Morita M, Mizoguchi I, et al. 1977. Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. *Atmos Environ* 11:985-987.
- Olson MJ, Reidy CA, Johnson JT. 1990. Modulation of glucose-metabolism in isolated rat hepatocytes by 1,1,1,2-tetrafluoroethane. *Fundam Appl Toxicol* 15:270-280.
- +Ong CN, Koh D, Foo SC, et al. 1993. Volatile organic solvents in correction fluids: identification and potential hazards. *Bull Environ Contam Toxicol* 50(6):787-793.
- *Ono Y, Somiya I, Kawamura M. 1991a. [Genotoxicity of by-products in the chemical oxidation processes.] *Suishitsu Odaku Kenkyu* 14:633-641. (Japanese)
- *One Y, Somiya I, Kawamura M. 1991b. The evaluation of genotoxicity using DNA repairing test for chemicals produced in chlorination and ozonation processes. *Water Science and Technology* 23:329-338.
- *OSHA. 1989. Occupational Safety and Health Administration. Permissible exposure limit. Code of Federal Regulations 29 CFR 1910.1000.
- OSHA. 1992. Occupational Safety and Health Administration. Air contaminants Part II. *Fed Regist* 57:26002.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438. April 1990.
- *Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. *Int J Environ Anal Chem* 31:41-53.
- Otson R, Williams DT. 1984. Fabric protectors. I. Evaluation of a grab-sampling technique for determination of organic vapours. *Am Ind Hyg Assoc J* 45:24-27.
- Otson R, Williams DT, Bothwell PD. 1983. Charcoal-tube technique for simultaneous determination of selected organics in air. *Am Ind Hyg Assoc J* 44:489-494.
- Otson R, Williams DT, Bothwell PD. 1984. Fabric protectors. II. Propane, 1,1,1-trichloroethane and petroleum distillates levels in air after application of fabric protectors. *Am Ind Hyg Assoc J* 45:28-33.
- Ozonoff D, Colten ME, Cupples A, et al. 1987. Health problems reported by residents of a neighborhood contaminated by a hazardous waste facility. *Am J Ind Med* 11:581-597.
- *Pacific Environmental Services, Inc. 1987. Toxic air pollutant/source crosswalk: a screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: Pacific Environmental Services Inc. Prepared for Environmental Protection Agency. NTIS PB88-161146.

8. REFERENCES

- Pagga U. 1987. Biodegradation of substances at low concentrations. *Journal of Water and Wastewater Research* 20:101-107.
- *Park JH, Lee HJ. 1993. Estimation of bioconcentration factor in fish, adsorption coefficient for soils and sediments and interfacial tension with water for organic nonelectrolytes based on the linear solvation energy relationships. *Chemosphere* 26(10):1905-1916.
- Parker JC, Casey GE, Bahlman LJ, et al. 1979. Chloroethanes: Review of toxicity. *Am Ind Hyg Assoc J* 40:A-46, A-48, A-50, A-52 to A-60.
- *Parkhurst WJ, Lee NT, Imhoff RE, et al. 1988. Indoor volatile organic sampling study in Chattanooga, Tennessee. In: *Proceedings of the Air Pollution Control Association Annual Meeting* 81:P88/109.7.
- *Parry JM, Sharp DC. 1981. Induction of mitotic aneuploidy in the yeast strain D6 by 42 coded compounds. *Prog Mutat Res* 1:468-480.
- *Parsons F, Lage GB. 1985. Chlorinated organics in simulated groundwater environments. *Journal of American Water Works Association* 77:52-59.
- *Parsons F, Lage GB, Rice R. 1985. Biotransformation of chlorinated organic solvents in static microcosms. *Environmental Toxicology and Chemistry* 4:739-742.
- Paterson S, Mackay D. 1989. Correlation of tissue blood and air partition coefficients of volatile organic chemicals. *Br J Ind Med* 46:321-328.
- Pearson CR, McConnell G. 1975. Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc R Soc Lond [Biol]* 189:305-332.
- Pellizzari E, Bursey J. 1984. Gas chromatography/mass spectrometry in water pollution studies. In: Hutzinger O, Karasek FW, Safe S, eds. *Mass spectrometry in environmental sciences*. New York, NY: Plenum Publishing Co., 139.
- Pellizzari ED. 1977. The measurement of carcinogenic vapors in ambient atmospheres. Gulf Breeze, FL: U.S. Environmental Protection Agency. EPA 600/7-77-055.
- Pellizzari ED. 1978. Quantification of chlorinated hydrocarbons in previously collected air samples. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 450/3-78-112.
- *Pellizzari ED. 1982. Analysis for organic vapor emissions near industrial and chemical waste disposal sites. *Environmental Science and Technology* 16:781-785.
- Pellizzari ED, Erickson MD, Zweidinger RA. 1979. Formulation of preliminary assessment of halogenated organic compounds in man and environmental media. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 560/13-79-006.
- *Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.
- *Pellizzari ED, Hartwell TD, Perritt RL, et al. 1986. Comparison of indoor and outdoor residential levels of volatile organic chemicals in five US geographical areas. *Environ Int* 12: 170-174.
- *Pellizzari ED, Wallace LA, Gordon SM. 1992. Elimination kinetics of volatile organics and humans using breath measurements. *Journal of Exposure Analysis and Environmental Epidemiology* 2:341-355.

8. REFERENCES

- *Pellizzari ED, Zelon HS, Bursey JT, et al. 1984b. Sampling and analysis design for volatile halocarbons in indoor and outdoor air. *Indoor Air: Chemical Characterization and Personal Exposure* 4:203-208.
- Pellizzari ED, Zweidinger RA, Sheldon LS. 1985. Breath sampling. In: Fishbein L, O'Neill I, eds. *Environmental carcinogens selected methods of analysis*, Vol. 7. World Health Organization, Lyon, France. IARC Publication No. 68, 399.
- Pellizzari ED, Zweidinger RA, Sheldon LS. 1985. GC/MS determination of volatile hydrocarbons in breath samples. In: Fishbein L, O'Neill I, eds. *Environmental carcinogens selected methods of analysis*, Vol. 7. World Health Organization, Lyon, France. IARC Publication No. 68, 413.
- *Pellizzari LS, Sheldon CM, Sparacino JT, et al. 1984a. Volatile organic levels in indoor air. *Indoor Air: Chemical Characterization and Personal Exposure* 4: 114-119.
- *Pellizzari LS, Sparacino CM, Sheldon CC, et al. 1984. Sampling and analysis for volatile organics in indoor and outdoor air in New Jersey. *Indoor Air: Chemical Characterization and Personal Exposure* 4:109-113.
- Peltola J. 1987. Biotransformation of 1,1,1-trichloroethane in aquifers. *Ground Water* 25:613.
- *Penman BW, Crespi CL. 1987. Analysis of human lymphoblast mutation assays by using historical negative control data bases. *Environ Mol Mutagen* 10:35-60.
- *Perry PE, Thomson EJ. 1981. Evaluation of the sister chromatid exchange method in mammalian cells as a screening system for carcinogens. *Prog Mutat Res* 1:560-569.
- Pes Inc. 1987. Toxic air pollutant/source crosswalk-a screening tool for locating possible emitting toxic air pollutants. Washington, DC: U.S. Environmental Protection Agency. EPA 450/4-87-023A.
- *Peter D, Edelbrock D. 1980. Health hazard evaluation: Determination report HE 79-42-685. Motion Picture Screen Cartoonists Local 841, New York, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-211584.
- *Pezzagno G, Imbriani M, Ghittori S, et al. 1986. Relationship between urinary and environmental concentrations of some solvents: Effects of the work load. *Giomale Italiano de Medicina Lavoro* 8:109-118.
- *Pezzagno G, Imbriani M, Ghittori S, et al. 1988. Urinary concentration environmental concentration and respiratory uptake of some solvents: Effect of the workload. *Am Ind Hyg Assoc J* 49:546-552.
- Pfaffenberger CD, Peoples AJ, Briggles TV. 1984. Blood plasma levels of volatile chlorinated solvents and metabolites in occupationally exposed workers. *Studies in Environmental Science* 25:559-569.
- *Pincince AB. 1988. Of: Estimating volatile organic compound emissions from publicly owned treatment works. *J Water Pollut Control Fed* 59:119-121.
- *Piwoni MD, Wilson JT, Walters DM, et al. 1986. Behavior of organic pollutants during rapid-infiltration of wastewater into soil. I. Processes, definition, and characterization using a microcosm. *Hazard Waste Hazard Material* 3:43-55.
- *Plaa GL. 1986. Toxic responses of the liver. In: Klaassen CD, Amdur MO, Doull J, eds. *Casarett and Doull's toxicology: The basic science of poisons*. 3rd ed. New York: Macmillan Publishing Company, 236-309.

8. REFERENCES

- *Plaa GL. 1988. Experimental evaluation of haloalkanes and liver injury. *Fundam Appl Toxicol* 10:563-570.
- *Plaa GL, Evans EA, Hine CH. 1958. Relative hepatotoxicity of seven halogenated hydrocarbons. *J Pharmacol Exp Ther* 123:224-229.
- *Plaa GL, Larson RE. 1965. Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. *Toxicol Appl Pharmacol* 7:37-44.
- *Platt DS, Cockrill BL. 1969. Biochemical changes in rat liver in response to treatment with drugs and other agents. II. Effects of halothane, DDT, other chlorinated hydrocarbons, dimethylnitrosamine and ethionine. *Biochem Pharmacol* 18:445-457.
- Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spec. *J Air Pollut Control Assoc* 38:1006-1010.
- *Pleil JD, Whiton RS. 1990. Determination of organic emissions from new carpeting. *Appl Occup Environ Hyg* 5:693-699.
- *Pluemacher J, Renner I. 1993. Determination of volatile chlorinated hydrocarbons and trichloroacetic acid in conifer needles by headspace gas chromatography. *Fresenius' J Anal Chem* 347(3):129-135.
- *Plumb RH Jr. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. *Ground Water Monitoring Reviews* 7:94- 100.
- Pointer J. 1982. Typewriter correction fluid inhalation: New substance of abuse. *J Toxicol Clin Toxicol* 19:493-499.
- Pollak JK, Harsas W. 1982. Effects of organochlorine compounds on lipid catabolism of fetal rat liver mitochondria and microsomes. *Bull Environ Contam Toxicol* 28:313-318.
- Poplawski-Tabarelli S, Uehleke H. 1982. Inhibition of microsomal drug oxidations by aliphatic halohydrocarbons: Correlation with vapor pressure. *Xenobiotica* 12:55-61.
- *Prendergast JA, Jones RA, Jenkins LJ Jr., et al. 1967. Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol* 10:270-289.
- *Price PJ, Hassett CM, Mansfield JJ. 1978. Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro* 14:290-293.
- *Priestly BG, Plaa GL. 1976. Hepatic function after acute or subchronic nicotine administration in untreated mice and mice treated with hepatotoxic chemicals. *Arch Int Pharmacodyn Ther* 223:132-141.
- *Prinn RG, Cunnold D, Rasmussen R, et al. 1987. Atmospheric trends in methylchloroform and the global average for the hydroxyl radical. *Science* 238:945-950.
- *Prinn RG, Cunnold D, Simmonds P. 1992. Global average concentration and trend for hydroxyl radicals deduced from air gauge trichloroethane (methyl chloroform) data for 1978-1990. *Journal of Geophysical Research-Atmospheres* 97:2445-2461.
- *Prinn RG, Rasmussen RA, Simmonds PG, et al. 1983. The atmospheric lifetime experiment. 5. Results for 1,1,1-trichloroethane based on three years of data. *Journal of Geophysical Research C* 88:8415-8426.

8. REFERENCES

- *Pryor P. 1987. Health hazard evaluation: Report HETA 85-256-1716. AMF Head Division, Boulder CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB87-161287.
- Purchase IFH, Ray V. 1981. Summary report on the performance of in vivo assays. *Prog Mutat Res* 1:86-95.
- *Quast JF, Calhoun LL, Frauson LE. 1988. 1,1,1-Trichloroethane formulation: A chronic inhalation toxicity and oncogenicity study in Fischer 344 rats and B6C3F1 mice. *Fundam Appl Toxicol* 11:611-625.
- Quast JF, Calhoun LL, McKenna MJ. 1985. 1,1,1-Trichloroethane formulation: A chronic inhalation toxicity and oncogenicity study in rats and mice. Part 1. Results of findings in mice. In: *Proceedings of the 24th Society of Toxicology Annual Meeting*, San Diego, CA, March 18-22, 1985. Society of Toxicology, Washington, DC.
- *Quast JF, Rampy LW, Balmer MG, et al. 1978. Toxicologic carcinogenic evaluation of a 1,1,1-trichloroethane formulation by chronic inhalation in rats. Toxicology Research Laboratory, Health and Environmental Research, The Dow Chemical Company, Midland, MI.
- *Quillardet P, DeBellecombe C, Hofnung M. 1985. The SOS chromotest, a calorimetric bacterial assay for genotoxins: Validation study with 83 compounds. *Mutat Res* 147:79-95.
- *Ramanathan V, Cicerone RJ, Singh HB, et al. 1985. Trace gas trends and their potential role in climate change. *Journal of Geophysical Research D: Atmos* 95:5547-5566.
- *Ranson DL, Berry PJ. 1986. Death associated with the abuse of typewriter correction fluid. *Med Sci Law* 26:308-310.
- *Rasmussen RA, Khalil MAK, Chang JS. 1982. Atmospheric trace gases over China. *Environmental Science and Technology* 16:124-126.
- *Rasmussen RA, Khalil MAK, Dalluge RW. 1981. Atmospheric trace gases in Antarctica. *Science* 211:285-287.
- *Rasmussen RA, Khalil MAK, Hoyt SD. 1983. Trace gases in snow and rain. In: *Proceedings of 4th International Conference. Precipitation scavenging, dry deposition, resuspension*, Vol. 2, 1301-1314.
- *Rastogi SC. 1992. Headspace analysis of chlorinated organic solvents in aerosol cans by gas chromatography. *Chromatographia* 33(3-4):117-121.
- *Rastogi SC. 1993. Organic solvent levels in model and hobby glues. *Bull Environ Contam Toxicol* 51(4):501-507.
- *Rawlings GD, Deangelis DG. 1979. Toxicity removal in textile plant waste waters. *Journal of the American Leather Chemists' Association* 74:404-417.
- *Raymer JH, Pellizzari ED, Thomas KW, et al. 1991. Elimination of volatile organic compounds in breath after exposure to occupational and environmental microenvironments. *Journal of Exposure Analysis and Environmental Epidemiology* 1:439-452.
- Raymer JH, Thomas K, Cooper S, et al. 1989. VOC breath measurement study: Alveolar breath method, final report. Research Triangle Park, NC: Research Triangle Institute.
- *Raymer JH, Thomas KW, Cooper SD, et al. 1990. A device for sampling of human alveolar breath for the measurement of expired volatile organic compounds. *J Anal Toxicol* 14:337-344.

8. REFERENCES

- Reding R. 1987. Chromatographic monitoring methods for organic contaminants under the Safe Drinking Water Act. *J Chromatogr Sci* 25:338-344.
- *Rees DC, Knisley JS, Balster RL, et al. 1987b. Pentobarbital-like discriminative stimulus properties of halothane, 1,1,1-trichloroethane, isoamyl nitrite, flurothyl and oxazepam in mice. *J Pharmacol Exp Ther* 241:507-515.
- *Rees DC, Knisley JS, Breen TJ, et al. 1987a. Toluene, halothane, 1,1,1-trichloroethane and oxazepam produce ethanol-like discriminative stimulus effects in mice. *J Pharmacol Exp Ther* 243:931-937.
- Reinhard M, Goodman NL, Barker JR. 1984. Occurrence and distribution of organic chemicals in two landfill leachate plumes. *Environmental Science and Technology* 18:953-961.
- Reinhard M, Goodman NL, McCarty PL, et al. 1986. Removing trace organics by reverse osmosis using cellulose acetate and polyamide membranes. *Journal of the American Water Works Association* 78:163-174.
- *Reinhardt CF, Azar A, Masfield ME, et al. 1971. Cardiac arrhythmias and aerosol "sniffing." *Arch Environ Health* 22:265-279.
- *Reinhardt CF, Mullin LS, Maxfield ME. 1973. Epinephrine-induced cardiac arrhythmia potential of some common industrial solvents. *J Occup Med* 15:953-955.
- *Reist PC, Rex F. 1977. Odor detection and respirator cartridge replacement. *Am Ind Hyg Assoc J* 38:563-566.
- *Reitz RH, McDougal JN, Himmelstein MW, et al. 1988. Physiologically based pharmacokinetic modeling with methylchloroform: Implications for interspecies, high dose/low dose, and dose route extrapolations. *Toxicol Appl Pharmacol* 95:185-199.
- Reitz RH, Schumann AM, Osborne DW, et al. 1985. Pharmacokinetics of 1,1,1-trichloroethane (MC) in humans rats and mice after inhalation or drinking water administration. In: *Proceedings of the 24th Society of Toxicology Annual Meeting*, San Diego, CA, March 18-22, 1985. Society of Toxicology, Washington, DC.
- Rice AJ, Roberts RJ, Plaa GL. 1967. The effect of carbon tetrachloride, administered in vivo, on the hemodynamics of the isolated perfused rat liver. *Toxicol Appl Pharmacol* 11:422-431.
- Rich CA. 1981. Geotechnical methods combined with cluster wells to investigate and monitor organic and inorganic ground water contamination. *Studies in Environmental Science* 17:309-314.
- *Richold M, Jones E. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: *Evaluations of short-term tests for carcinogens: Report of the international collaborative program*. *Prog Mutat Res* 1:314-322.
- *Riddick JA, Bunger WB, Sakano TK. 1986. Organic solvents: Physical properties and methods of purification. *Techniques of chemistry*. Vol. 2, 4th ed. New York, NY: Wiley-Interscience, 501, 1325.
- *RIDH. 1989. Written communication (June 19) regarding Rhode Island guidelines for 1,1,1-trichloroethane levels in the public water supply and private well water. Providence, RI: Rhode Island Department of Health.
- Riihimaki V. 1986. Metabolism and excretion of organic solvents. *Prog Clin Biol Res* 220:61-72.
- *Riihimaki V, Pfaffli P. 1978. Percutaneous absorption of solvent vapors in man. *Stand J Work Environ Health* 4:73-85.

8. REFERENCES

- Rittmann BE, McCarty PL, Roberts PV. 1980. Trace-organics biodegradation in aquifer recharge. *Ground Water* 18:236-243.
- Roberts PV, Schreiner J, Hopkins GD. 1982. Field study of organic water quality changes during groundwater recharge in the Palo Alto baylands. *Water Research* 16:1025-1035.
- Roberts PV, Valocchi AJ. 1981. Principles of organic contaminant behavior during artificial recharge. *Sci Total Environ* 21:161-172.
- *Rogers SE, Peterson DL, Lauer WC. 1987. Organic contaminants removal for potable reuse. *J Water Pollut Control Fed* 59:722-732.
- *Roldan-Arjona T, Garcia-Pedrajas MD, Luque-Romero FL, et al. 1991. An association between mutagenicity of the ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis* 6: 199-206.
- Roper P. 1976. Health hazard evaluation: Determination report 74-129-268. General Electric Company, Waynesboro, VA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTISPB 273712.
- *Rosenberg C, Nylund L, Aalto T, et al. 1991. Volatile organohalogen compounds from the bleaching of pulp occurrence and genotoxic potential in the work environment. Tenth International Symposium on Chlorinated Dioxins and Related Compounds 1990, Part 2, Bayreuth, Germany, Sept 10-14, 1990. *Chemosphere* 23(11-12):1617-1628.
- *Rosengren LE, Aurell A, Kjellstrand P, et al. 1985. Astrogliosis in the cerebral cortex of gerbils after long-term exposure to 1,1,1-trichloroethane. *Stand J Work Environ Health* 11:447-456.
- *Rosenkranz HS, Hyman J, Leifer Z. 1981. DNA polymerase deficient assay. *Prog Mutat Res* 1:210-218.
- *Rothweiler H, Wager PA, Schlatter C. 1992. Volatile organic compounds and some very volatile organic compounds in new and recently renovated buildings in Switzerland. Fifth International Conference of Indoor Air Quality and Climate (Indoor Air '90): Characterization of Indoor Air, Toronto, Ontario, Canada, July 29- August 3, 1990. *Atmos Environ Part A: Gen Top* 26(12):2219-2225.
- Roux PH, Althoff WF. 1980. Investigation of organic contamination of ground water in South Brunswick Township, New Jersey, USA. *Ground Water* 18:464-471.
- *Rowland I, Sevm B. 1981. Mutagenicity of carcinogens and noncarcinogens in the *Salmonella*/microsome test. *Prog Mutat Res* 1:323-332.
- *RTECS. 1993. Registry of Toxic Effects of Chemical Substances. April 1993.
- *RTECS. 1994. Registry of Toxic Effects of Chemical Substances. April 1993.
- *RTI. 1987. Absorption, disposition, metabolites, and excretion of 1,1,1-trichloroethane (TCEN). RTI-213/31 IT-3662. Prepared for the National Institute of Environmental Health by Research Triangle Institute, Research Triangle Park, Inc.
- *Russell JW, Shadoff LA. 1977. The sampling and determination of halocarbons in ambient air using concentration on porous polymer. *J Chromatogr* 134:375-384.

8. REFERENCES

- Saalwaechter AT, McCammon CS Jr., Roper CP, et al. 1977. Performance testing of the NIOSH charcoal tube technique for the determination of air conditions of organic vapors. *Am Ind Hyg Assoc J* 38:476-486.
- *Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Management Research* 2: 119-130.
- *Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. *Atmos Environ* 26: 1063-1070.
- Salamone MF. 1981. Toxicity of 41 carcinogens and noncarcinogenic analogs. *Prog Mutat Res* 1:682-685.
- *Salamone MF, Heddle JA, Katz M. 1981. Mutagenic activity of 41 compounds in the in vivo micronucleus assay. *Prog Mutat Res* 1:686-697.
- *Salisbury S, McConnell R, Anger K. 1986. Health hazard evaluation: Report HETA 83-369-1672. Lockheed-Georgia Company, Marietta, GA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB86-223989.
- *Salkinoja-Salonen MS, Jokela JK. 1991. Measurement of organic halogen compounds in urine as an indicator of exposure. *Stand J Work Environ Health* 17:75-78.
- *Salvini M, Binaschi S, Riva M. 1971. Evaluation of the psychophysiological functions in humans exposed to the threshold limit value of 1,1,1-trichloroethane. *Br J Ind Med* 28:286-292.
- *SANSS. 1994. Structure and Nomenclature Search System [data base]. 1994.
- Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Stand J Work Environ Health* 13:81-93.
- *Savolainen H, Pfaffli P, Tengen M, et al. 1977. Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol* 38:229-237.
- *Savolainen K, Riihimäki V, Laine A, et al. 1981. Short-term exposure of human subjects to m-xylene and 1,1,1-trichloroethane. *Int Arch Occup Environ Health* 49:89-98.
- *Sax NI, Lewis RJSR. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY, Van Nostrand Reinhold Co., 1176.
- *Schairer LA, Sautclulis RC, Tempel NR. 1983. A search for the identity of genotoxic agents in the ambient air using the Tradescantia bioassay. *Environ Sci Res* 27:211-228.
- Schoeler HF, Schmitz R. 1986. Occurrence and persistence of halogenated organic compounds in the Sieg River (West Germany). *Vom Wasser* 67:249-256.
- *Schumann AM, Fox TR, Watanabe PG. 1982a. Carbon-16labeled methyl chloroform (1,1,1-trichloroethane): Pharmacokinetics in rats and mice following inhalation exposure. *Toxicol Appl Pharmacol* 62:390-401.
- *Schumann AM, Fox TR, Watanabe PG. 1982b. A comparison of the fate of inhaled methyl chloroform (1,1,1-trichloroethane) following single or repeated exposure in rats and mice. *Fundam Appl Toxicol* 2:27-32.

8. REFERENCES

Schwarzenbach RP, Giger W, Hoehn E, et al. 1983. Behavior of organic compounds during infiltration of river water to groundwater. Field studies. *Environmental Science and Technology* 17:472-479.

*Schwetz BA, Leong BKJ, Gehring PJ. 1975. The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32:84-96.

Scott DR, Dunn WJ III, Emery SL. 1987. Classification and identification of hazardous organic compounds in ambient air by pattern recognition of mass spectral data. *Environmental Science and Technology* 21:891-897.

Scudamore KA. 1987. Fumigant residues in wheat and other cereal resulting from the use of 1,1,1-trichloroethane and bromomethane as a liquid fumigant mixture. *J Pestic Sci* 20: 1-18.

*Seki Y, Urashima Y, Aikawa H, et al. 1975. [Trichloro-compounds in the urine of humans exposed to methyl chloroform at sub-threshold levels.] *Arch Arbeitsmedizin-Int Arch Occup Health* 34:39-49. (German)

Sextib JM, Westberg H. 1980. Elevated ozone concentrations measured downwind of the Chicago-Gary urban complex. *J Air Pollut Control Assoc* 30:911-914.

Shah HC, La1 H. 1976. Effects of 1,1,1-trichloroethane administered by different routes and in different solvents on barbiturate hypnosis and metabolism in mice. *J Toxicol Environ Health* 1:807-816.

*Sharp DC, Parry JM. 1981a. Induction of mitotic gene conversion by 41 coded compounds using the yeast culture JDI. *Prog Mutat Res* 1:491-501.

*Sharp DC, Parry JM. 1981b. Use of repair-deficient strains of yeast to assay the activity of 40 coded compounds. *Prog Mutat Res* 1502-516.

Shaw GM, Swan SH, Harris JA, et al. 1990. Maternal water consumption during pregnancy and congenital cardiac anomalies. *Epidemiology* 1:206-211.

Shelley ML, Andersen ME, Fisher JW. 1989. A risk assessment approach for nursing infants exposed to volatile organics through the mother's occupational inhalation exposure. *Appl Ind Hyg* 4:21-26.

*Shen IT. 1982. Estimation of organic compound emissions from waste lagoons. *J Air Pollut Control Assoc* 32:79-82.

*Shields HC, Weschler CJ. 1992. Volatile organic compounds measured at a telephone switching center from 5/30/85*12/6/88: A detailed case study. *Journal of the Air and Waste Management Association* 42:792-804.

*Shikiya J, Tsou G, Kowalski J, et al. 1984. Ambient monitoring of selected halogenated hydrocarbons and benzene in the California south coast air basin. In: *Proceedings 77th annual meeting of Air Pollution Control Association*, Vol 1, 84-101.

*Shimada T, Swanson A, Leber P, et al. 1983. The evaluation for genotoxicity of several halogenated solvents. *Environ Mutagen* 5:447.

*Shimada Y. 1988. [Studies on monochlorobenzene poisoning. III. Distribution of monochlorobenzene in the organs of pregnant mice and its transfer to the fetus through the placenta: Comparison with trichloroethylene and 1,1, 1-trichloroethane.] *Okayama Igakkai Zasshi* 100: 147- 153. (Japanese)

Sickles JE II, Wright RS, Sutcliffe CR, et al. 1980. Smog chamber studies of the reactivity of volatile organic compounds. In: *Proceedings of annual meeting of Air Pollution Control Association* 73:80-501.

8. REFERENCES

Sievers RE, Barkley RM Jr, Denney DW et al. 1980. Gas chromatographic and mass spectrometric analysis of volatile organics in the atmosphere. American Society for Testing and Materials Special Technical Publication 721, 3-21.

*Silverstein MA. 1983. Occupational fatality attributed to 1,1,1-trichloroethane. *Arch Environ Health* 38:252.

“Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. *Dev Toxicol Environ Sci* 2:249-258.

*Simmon VF, Shepherd GF. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1:333-342.

*Simmonds PG, Kerrin SL, Lovelock JE, et al. FH. 1974. Distribution of atmospheric halocarbons in the air over the Los Angeles basin. *Atmos Environ* 8:209-216.

*Singh HB, Salas L, Viezee W, et al. 1992. Measurement of volatile organic chemicals at selected sites in California. *Atmos Environ Part A: Gen Top* 26(16):2929-2946.

*Singh HB, Salas LJ, Cavanagh LA. 1977. Distribution sources and sinks of atmospheric halogenated compounds. *J Air Pollut Control Assoc* 27:332-336.

Singh HB, Salas LJ, Shigeisi H, et al. 1979. Atmospheric distributions, sources and sinks of selected halocarbon, hydrocarbons, SF₆ + N₂O. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 600/3-79-107.

*Singh HB, Salas LJ, Smith, AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.

*Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. *Environmental Science and Technology* 16:872-880.

*Skopek TR, Andon BM, Kaden DA, et al. 1981. Mutagenic activity of 42 coded compounds using 8-azaguanine resistance as a genetic marker in *Salmonella typhimurium*. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. *Prog Mutat Res* 1:371-375.
Smith LR, Dragun J. 1984. Degradation of volatile aliphatic priority pollutants in groundwater. *Environ Int* 10:291-298.

*Solomon S, Albritton DL. 1992. Time-dependant ozone depletion potentials for short- and long-term forecasts. *Nature (London)* 357(63):33-37.

Sonnenfeld G, Hudgens RW, Streips UN. 1983. Effect of environmental carcinogens and other chemicals on murine alpha-beta interferon production. *Environ Res* 31:355-361.

Spayd SE. 1985. Movement of volatile organics through a fractured rock aquifer. *Ground Water* 23:496-502.

Spee T. 1986. Evaluation of an ISO (International Standards Organization) draft proposal for sampling and analysis of chlorinated hydrocarbon solvent vapours in work-place atmospheres. *Am Ind Hyg Assoc J* 47:27-36.

*Spence JW, Hanst PL. 1978. Oxidation of chlorinated ethanes. *J Air Pollut Control Assoc* 38:250-253.

8. REFERENCES

- *Spencer PJ, Albee RR, Mattsson JL, et al. 1990. Acute neurophysiologic effects of 1,1,1-trichloroethane via gavage in rats. Final report. The Dow Chemical Company, Midland, MI. Fiche #OTS533 134. [Unpublished study]
- *Spicer CW, Holdren MW, Slivon LE, et al. 1987. Intercomparison of sampling techniques for toxic organic compounds in indoor air. Govt Rep Announce Ind, Issue 14. NTIS PB87-165262.
- Sportstoel S, Urdal K, Drangsholt H, et al. 1985. Description of a method for automated determination of organic pollutants in water. *Int J Environ Anal Chem* 21:129-138.
- SRI. 1985. Stanford Research Institute. *Drosophila* sex-linked recessive lethal assay of 1,1,1-trichloroethane. U.S. EPA/OTS Public Files, Washington, DC. Fiche #OTS0526446. [Unpublished study]
- *SRI. 1991. 1991 Directory of Chemical Producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 1048.
- *SRI 1992. 1992 Directory of Chemical Producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 1032.
- *SRI. 1994. 1994 Directory of Chemical Producers. USA. SRI International, Menlo Park, CA. 978.
- Stacey NH. 1989. Toxicity of combinations of chlorinated aliphatic hydrocarbons in vitro and in vivo. *Toxicology In Vitro* 3:137-143.
- Stacey NH. 1989. Toxicity of mixtures of trichloroethylene tetrachloroethylene and 1,1,1-trichloroethane: Similarity of in vitro to in vivo responses. *Toxicol Ind Health* 5:441-450.
- Stachel B, Lahl U, Zeschmar B. 1984. Pollution of the River Rhine with halogenated organic compounds: An investigation during a "Fließende Welle." *Sci Total Environ* 40:103-113.
- *Stahl CJ, Fatteh AV, Dorniguez AM. 1969. Trichloroethane poisoning: Observations on the pathology and toxicology in six fatal cases. *J Forensic Sci* 14:393-397.
- *Stanley JS. 1986a. Broad scan of the FY82 national human adipose tissue survey specimens. Volume 1: Executive Summary. Washington, DC: U.S.
- *Stanley JS. 1986b. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume II: Volatile Organic Compounds. Washington, DC: U.S. Environmental Protection Agency. EPA 560/5-86-036.
- *Stewart RD. 1971. Methyl chloroform intoxication: Diagnosis and treatment. *JAMA* 215:1789-1792.
- *Stewart RD. 1983. Trichloroethanes. *Encycl Occup Health Safety* 2:2213-2214.
- *Stewart RD, Andrews JT. 1966. Acute toxication with methylchloroform. *JAMA* 195:904-906.
- *Stewart RD, Dodd HC. 1964. Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1,1,1-trichloroethane through the human skin. *Ind Hyg J*, 439-446.
- *Stewart RD, Gay HH, Erley DS, et al. 1961. Human exposure to 1,1,1-trichloroethane vapor: Relationship of expired air and blood concentrations to exposure and toxicity. *Am Ind Hyg Assoc J* 22:252-262.

8. REFERENCES

- *Stewart RD, Gay HH, Schaffer AW, et al. 1969. Experimental human exposure to methyl chloroform vapor. *Arch Environ Health* 19:467-472.
- *Stewart RD, Hake CL, Wu A, et al. 1975. 1,1,1-Trichloroethane: Development of a biologic standard for the industrial worker by breath analysis. Report to National Institute for Occupational Safety and Health, Cincinnati, OH. NTIS PB82-15 1879.
- *Stewart RD, Hake CL, Wu A, et al. 1982. 1,1,1-Trichloroethane: Development of a biologic standard for the industrial worker by breath analysis. *Govt Rep Ann Ind*, 109 p. NTIS PB82-151879.
- *Stonebraker RD, Smith JR. 1980. Containment and treatment of a mixed chemical discharge from "The Valley of the Drums" near Louisville, KY. In: *Proceedings of National Conference of Control Hazard Material Spills*, Nashville, TN, I-10.
- *STORET. 1988. EPA Storet Water Quality Data Base. December 12, 1988.
- Story DL, Meierhenry EF, Tyson CA, et al. 1986. Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. *Toxicol Ind Health* 2:351-356.
- *Sturges WT, Taylor BE. 1990. Atmospheric concentrations of chlorinated solvents around a nuclear processing plant in Colorado. *Environ Technol* 11: 1063-1070.
- *Stutz DR, Janusz SJ. 1988. *Hazardous materials injuries: A handbook for pre-hospital care*. 2nd ed. Beltsville, MD: Bradford Communications Corporation, Protocol 50.
- *Styles JA. 1981. Activity of 42 coded compounds in the BHK-21 cell transformation test. *Prog Mutat Res* 1:638-646.
- *Su C, Goldberg ED. 1976. Environmental concentration and fluxes of some halocarbons. In: Windom HL et al., eds. *Mar pollut transfer*. Lexington, MA: D.C. Heath Co., 353-374.
- *Suovaniemi O, Ekholm P, Falck K, et al. 1985. An automated analysis system for bacterial mutagenicity assays. *American Laboratory* 17: 122, 124-129.
- *Swan SH, Shaw G, Harris JA, et al. 1989. Congenital cardiac anomalies in relation to water contamination, Santa Clara County California 1981-1983. *Am J Epidemiol* 129:885-893.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol-water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Rev* 85:17-28.
- *Sweet CW, Vermette SJ. 1992. Toxic volatile organic compounds in urban air in Illinois. *Environmental Science and Technology*. 26: 165-173.
- *Tabak HH, Quave SA, Maschi CI, Barth EF. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- Tahti H, Korpela M. 1985. In-vitro experiments on the effects of organic solvents on red cell membrane acetylcholinesterase. *Food Chem Toxicol* 24:805- 806.
- *Takahara K. 1986a. [Experimental study on toxicity of trichloroethane. III. Changes in liver function of mice after exposure to 1,1,1- and 1,1,2- trichloroethane.] *Okayama Igakkai Zasshi* 98:1099-1110. (Japanese)
- *Takahara K. 1986b. [Experimental study on toxicity of trichloroethane. I. Organ distribution of 1,1,1- and 1,1,2-trichloroethanes in exposed mice.] *Okayama Igakkai Zasshi* 98: 1079-1089. (Japanese)

8. REFERENCES

- *Takahara K. 1986c. [Experimental study on toxicity of trichloroethane. II. 1,1,1- and 1,1,2-trichloroethane in expired air and in urine of mice.] Okayama Igakkai Zasshi 98: 1091-1097. (Japanese)
- Takano T, Miyazaki Y. 1982. Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. *J Toxicol Sci* 7:143-149.
- Takano T, Miyazaki Y, Araki R. 1988. Interaction of 1,1,1-trichloroethane with the mixed-function oxidation system in rat liver microsomes. *Xenobiotica* 18:1457-1464.
- Takano T, Miyazaki Y, Motohashi Y. 1985. Interaction of trichloroethane isomers with cytochrome P-450 in the perfused rat liver. *Fundam Appl Toxicol* 5:353-360.
- *Takeoka GR, Flath RA, Guntert M, et al. 1988. Nectarine volatiles: Vacuum steam distillation versus headspace sampling. *J Agric Food Chem* 36:553-560.
- *Taketomo AP, Grimsrud E. 1978. An analysis of halocarbons in the air of several working and living environments. *Proceedings of the Montana Academy of Science* 37: 128-134.
- Talebzadeh VC, Chevrolet JC, Chatelain P, et al. 1990. Eosinophilic myocarditis and pulmonary-hypertension in a female drug-addict: clinicopathological and brief review of the literature. *Ann Pathol* 10:40-46. (French)
- *Talukdar RK, Mellouki A, Schmoltner AM, et al. 1992. Kinetics of the OH reaction with methyl chloroform and its atmospheric implications. *Science* 257(5067):227-230.
- *Taningher M, Parodi S, Grilli S, et al. 1991. Lack of correlation between alkaline DNA fragmentation and DNA covalent binding induced by polychloroethanes after in vivo administration. Problems related to the assessment of a carcinogenic hazard. *Cancer Detect Prev* 15:35-39.
- *Taskinen H, Anttila A, Lindbohm ML, et al. 1989. Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health* 15:345-352.
- Taylor GJ, Drew RT, Lores EM Jr, et al. 1976. Cardiac depression by haloalkane propellants, solvents, and inhalation anesthetic in rabbits. *Toxicol Appl Pharmacol* 38:379-387.
- Terrill JB. 1989a. Acute inhalation toxicity study with T-4058 in the rat. Final report. Hazleton Laboratories America, Inc., Rockville, MD. Fiche #OTS50971 1-8. [Unpublished study]
- Terrill JB. 1989b. Acute inhalation toxicity study with T-4059 in the rat. Final report. Hazleton Laboratories America, Inc., Rockville, MD. Fiche #OTS50971 1-8. [Unpublished study]
- Terrill JB. 1989c. Acute inhalation toxicity study with T-4060 in the rat. Final report. Hazleton Laboratories America, Inc., Rockville, MD. Fiche #OTS50971 1-8. [Unpublished study]
- Terrill JB. 1989d. Acute inhalation toxicity study with T-4061 in the rat. Final report. Hazleton Laboratories America, Inc., Rockville, MD. Fiche #OTS50971 1-8. [Unpublished study]
- Thiele DL, Eigenbrodt EH, Ware AJ. 1982. Cirrhosis after repeated trichloroethylene and 1,1,1-trichloroethane exposure. *Gastroenterology* 83:926-929.
- Thorn NS, Agg AR. 1975. The breakdown of synthetic organic compounds in biological processes. *Proc R Soc Lond [Biol]* 189:347-357.

8. REFERENCES

- Thompson JA, Ho B, Mastovich SL. 1984. Reductive metabolism of 1,1,1,2-tetrachloroethane and related chloroethanes by rat liver microsomes. *Chem Biol Interact* 5 1:321-333.
- *Thomson JA. 1981. Mutagenic activity of 42 coded compounds in the lambda induction assay. *Prog Mutat Res* 1:224-235.
- *Toftgaard R, Nilsen OG, Gustafsson JA. 1981. Changes in rat liver microsomal cytochrome P-450 and enzymatic activities after the inhalation of n-hexane, xylene, methyl ethyl ketone and methylchloroform for four weeks. *Scand J Work Environ Health* 7:31-37.
- Tomasi A, Albano E, Bini A, et al. 1984. Free radical intermediates under hypoxic conditions in the metabolism of halogenated carcinogens. *Toxicol Pathol* 12:240-246.
- Topham JC. 1980. Do induced sperm-head abnormalities in mice specifically identify mammalian mutagens rather than carcinogens. *Mutat Res* 74:379-387.
- Topham JC. 1981. Evaluation of some chemicals by the sperm morphology assay. *Prog Mutat Res* 1:718-720.
- *Toraason M, Breitenstein MJ, Wey HE. 1992. Reversible inhibition of intercellular communication among cardiac myocytes by halogenated hydrocarbons. *Fundam Appl Toxicol* 18:59-65.
- *Toraason M, Krueger JA, Breitenstein MJ, et al. 1990. Depression of contractility in cultured cardiac myocytes from neonatal rat by carbon tetrachloride and 1,1,1-trichloroethane. *Toxicology In Vitro* 4:363-368.
- Torkelson TR, Hoyle HR, Rowe VK. 1966. Toxicological hazards and properties of commonly used space, structural and certain other fumigants. *Pest Control* 34:13-18, 42-50.
- *Torkelson TR, Oyen F, McCollister DD, et al. 1958. Toxicity of 1,1,1-trichloroethane as determined on laboratory animals and human subjects. *Am Ind Hyg Assoc J* 19:353-362.
- *Traiger GJ, Plaa GL. 1974. Chlorinated hydrocarbon toxicity: Potentiation by isopropyl alcohol and acetone. *Arch Environ Health* 28:276-278.
- *Travers H. 1974. Death from 1,1,1-trichloroethane abuse: Case report. *Milit Med* 139:889-890.
- Travis CC, Hattmer-Frey HA, Arms AD. 1988. Relationships between dietary intake of organic chemicals and their concentrations in human adipose tissue and breast milk. *Arch Environ Contam Toxicol* 17:473-478.
- *TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI92. 1994. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Trocha PJ, Samimi BS. 1993. Analysis of volatile chemicals in the workplace by Fourier transform infrared spectroscopy. *Appl Occup Environ Hyg* 8(6):571-579.
- *Trochimowicz HJ, Reinhardt CF, Mullin LS, et al. 1974. Cardiac sensitization studies in dogs with myocardial infarctions. *Proceedings of the Annual Conference of Environmental Toxicology* 5: 135- 144. (ISS AMRL-TR-74-125)
- *Troutman WG. 1988. Additional deaths associated with the intentional inhalation of typewriter correction fluid. *Vet Hum Toxicol* 30: 130-132.

8. REFERENCES

- *Trueman RW. 1981. Activity of 42 coded compounds in the Salmonella reverse mutation test. *Prog Mutat Res* 1:343-350.
- *Truffert L, Girard-Wallon C, Emmerich E, et al. 1977. Early experimental demonstration of the hepatotoxicity of some chlorinated solvents by the study of the synthesis of hepatic DNA. *Arch Mal Prof* 38:261-263.
- Truong KN, Blackburn JW. 1984. The stripping of organic chemicals in biological treatment processes. *Environ Prog* 3:143-152.
- *Tse G, Orbey H, Sandler SI. 1992. Infinite dilution activity coefficients and Henry's law coefficients of some priority water pollutants determined by a relative gas chromatographic method. *Environ Sci Technol* 26(10):2017-2022.
- Tse SYH, Mak IT, Weglicki WB, et al. 1988. Chlorinated hydrocarbons enhance lipid peroxidation in cultured endothelial cells and smooth muscle cells. In: *Proceedings of the 10th International Society for Heart Research Annual Meeting*, Williamsburg VA, June 26-29, 1988. *J Mol Cell Cardiol* 20(Suppl 3):S36.
- Tse SYH, Mak IT, Weglicki WB, et al. 1990. Chlorinated aliphatic hydrocarbons promote lipid peroxidation in vascular cells. *J Toxicol Environ Health* 31:217-226.
- *Tsuchimoto T, Matter BE. 1981. Activity of coded compounds in the micronucleus test. *Prog Mutat Res* 1:705-711.
- *Tsuruta H. 1975. Percutaneous absorption of organic solvents. I. Comparative study of the in vivo percutaneous absorption of chlorinated solvents in mice. *Ind Health* 13:227-236.
- *Tu AS, Murray TA, Hatch KM, et al. 1985. In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett* 28:85-92.
- *Turina MP, Colacci A, Grilli S, et al. 1986. Short-term tests of genotoxicity for 1,1,1-trichloroethane. *Res Commun Chem Pathol Pharmacol* 52:305-320.
- *Tweats DJ. 1981. Activity of 42 coded compounds in a differential killing test using *Escherichia coli* strains WP2, WP67 (uvrA polA), and CM871 (uvrA lexA recA). *Prog Mutat Res* 1:199-209.
- Tyson CA, Gee SJ, Hawk-Prather K, et al. 1989. Correlation between in vivo and in vitro toxicity of some chlorinated aliphatics. *Toxicology In Vitro* 3:145-150.
- *Tyson CA, Hawk-Prather K, Story DL, et al. 1983. Correlations of in vitro and in vivo hepatotoxicity for five haloalkanes. *Toxicol Appl Pharmacol* 70:289-302.
- Tyson CA, Mitoma C, Kalivoda J. 1980. Evaluation of hepatocytes isolated by a nonperfusion technique in a prescreen for cytotoxicity. *J Toxicol Environ Health* 6:197-205.
- *U.S. Congress. 1990. Clean Air Act of 1990. 42 USC 7412, Title I, Part A, Sec. 112, 53.
- *UDH. 1989. Written communication (July 20) regarding Utah state groundwater quality standards for 1,1,1-trichloroethane. Salt Lake City, UT: State of Utah Department of Health, Division of Environmental Health.
- *Uhler AAD, Diachenko GW. 1987. Volatile halocarbon compounds in process water and processed foods. *Bull Environ Contam Toxicol* 39:601-607.

8. REFERENCES

- *USAF. 1990. U.S. Air Force. Development and validation of methods for applying pharmacokinetic data in risk assessment. Volume 1: Executive summary/introduction. Prepared by Clement International Corp., Ruston LA. (KS. Crump Div.). NTIS/AD-A237 365/2.
- *USITC. 1986a. Synthetic organic chemicals: United States production and sales, 1985. USITC Publication 1892. Washington, DC: U.S. Government Printing Office.
- USITC. 1986b. Synthetic organic chemicals: United States production and sales, 1986. USITC Publication 2009. Washington, DC: U.S. Government Printing Office.
- *USITC. 1987. Synthetic organic chemicals: United States production and sales, 1987. USITC Publication 2118. Washington, DC: U.S. Government Printing Office.
- *USITC. 1989. Synthetic organic chemicals: United States production and sales, 1988. USITC Publication 2119. Washington, DC: U.S. International Trade Commission, 15-7.
- *USITC. 1990. Synthetic organic chemicals: United States production and sales, 1989. USITC Publication 2338. Washington, DC: U.S. International Trade Commission, 15-7.
- *USITC. 1991. Synthetic organic chemicals: United States production and sales, 1990. USITC Publication 2470. Washington, DC: U.S. International Trade Commission, 17-5, 15-8, 30, A-6, 1 3 , 1 7 .
- Ustyugova NV, Ostrovskii YV, Belozarov IM, et al. 1987. Hydrolysis of methylchlorofarm during recovery at activated carbon AR-A. Journal of Applied Chemistry USSR 60:2327-2330.
- *Vainio HM, Parkki G, Mamiemi J. 1976. Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vitro. Xenobiotica 6:599-604.
- Van Dyke RA. 1977. Dechlorination mechanisms of chlorinated olefins. Environ Health Perspect 21:121-124.
- Van Dyke RA, Rikans LE. 1970. Effect of the volatile anesthetics on aniline hydroxylase and aminopyrine demethylase. Biochem Pharmacol 19: 1501-1502.
- *Van Dyke RA, Wineman CG. 1971. Enzymatic dechlorination: Dechlorination of chloroethanes and propanes in vitro. Biochem Pharmacol 20:461-470.
- *Vancil MA, Parrish CR, Palazzolo MA. 1991. Emissions of metals and organic from municipal wastewater sludge incinerators. Project summary. U.S.
- Vandemeent D, Denhollander HA, Pool WG, et al. 1986. Organic micropollutants in Dutch coastal waters. Water Science and Technology 18:73-g 1.
- *Vanlaethem-Meuree N, Wisenberg J, et al. 1979. Ultraviolet absorption spectrum of methylchloroform in the vapor phase. Geophys Res Lett 6:451-454.
- *Vargas C, Ahlert RC. 1987. Anaerobic degradation of chlorinated solvents. J Water Pollut Contr Fed 59:964-968.
- *Varma MM. 1985. A case study of Moyer landfilled site, Collegeville, PA. In: Proceedings of the Pennsylvania Academy of Science, Vol. 59, 67-73.
- *Vegella T. 1979. Mining health hazard evaluation: HHE 79-101-105. Weld Shop. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NTIS PB80-149628.

8. REFERENCES

- *Venitt S, Crofton-Sleigh C. 1981. Mutagenicity of 42 coded compounds in a bacterial assay using *Escherichia coli* and *Salmonella typhimurium*. *Prog Mutat Res* 1:351-360.
- Venkataramani ES, Ahlert RC, Corbo P. 1984. Biological treatment of landfill leachates. *CRC Critical Reviews in Environmental Controls* 14:333-376.
- Verkoelen PJHD, Nielen MWF. 1988. Short-term sample loss and sample uptake by Tenax adsorption tubes. *Journal of High Resolution Chromatography and Chromatography Communications* 11:291-293.
- Verschuuren HG, De Rooij CG. 1990. Health risk assessment of environmental exposure to 1,1,1-trichloroethane. *Regul Toxicol Pharmacol* 11:90-99.
- Verschuuren HG, Wilmer JW. 1990. Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain. *Stand J Work Environ Health* 16:144-145.
- Verschuuren HG, Wilmer JW. 1990. Neurotoxicity of 1,1,1-trichloroethane questioned. *Stand J Work Environ Health* 16: 144-146.
- *Viar. 1987. Contract Laboratory Program Statistical Database. April 13, 1987.
- *Viola A, Sigon M, Pittoni G, et al. 1981. Serum enzyme activities and histological changes after percutaneous application of methylchloroform. *Med Lav* 72:410-415.
- Vogel TM, Griddle CS, McCarty PL. 1987. Transformations of halogenated aliphatic compounds. *Environmental Science and Technology* 21:722-736.
- *Vogel TM, McCarty PL. 1987. Abiotic and biotic transformations of 1,1,1-trichloroethane under methanogenic conditions. *Environmental Science and Technology* 21: 1208- 1213.
- *Wahlberg JE. 1984a. [Edema-inducing effects of solvents following topical administration.] *Derm Beruf Umwelt* 32:91-94. (German)
- *Wahlberg JE. 1984b. Erythema-inducing effects of solvents following epicutaneous administration to man - studied by laser Doppler flowmetry. *Stand J Work Environ Health* 10:159-162.
- *Wahlberg JE, Boman A. 1979. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Stand J Work Environ Health* 5:345-351.
- *Wakeham SG, Davis AC, Karas JL. 1983b. Microcosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environmental Science and Technology* 17:611-617.
- *Wakeham SG, Goodwin JT, Davis AC. 1983a. Distributions and fate of volatile organic compounds in Narragansett Bay, RI. *Canadian Journal of Fisheries and Aquatic Science* 40:304-321.
- *Walker BL, Cooper CD. 1992. Air pollution factors for medical waste incinerators. *J Air Waste Manage Assoc* 42(6):784-791.
- *Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. *Toxicol Environ Chem* 12:215-236.
- *Wallace LA. 1987. Exhaled breath as an indicator of recent exposure to volatile organic compounds. *Proceedings of the Air Pollution Control Association Annual Meeting* 80:16.

8. REFERENCES

- *Wallace LA, Hartwell TD, Perritt K, et al. 1987d. The influence of personal activities on exposure to volatile organic compounds. In: Proceedings of the 4th International Conference: Indoor Air Quality and Climate, Germany, 2-181 to 2-185.
- *Wallace LA, Jungers R, Sheldon L, et al. 1987~. Volatile organic chemicals in 10 public-access buildings. Washington, DC: U.S. Environmental Protection Agency. EPA 600/3-87-152.
- *Wallace LA, Nelson W, Ziegenfus R, et al. 1991. The Los Angeles team study: personal exposures, indoor-outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. *J Exp Anal Environ Epidemiol* 1(2):157-172.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1984a. Personal exposure to volatile organic compounds. I. Direct measurements in breathing-zone air, drinking water, food, and exhaled breath. *Environ Res* 35:1293-319.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1984b. Analyses of exhaled breath of 355 urban residents for volatile organic compounds. *Indoor Air: Chemical Characterization and Personal Exposure* 4: 15-20.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1986~. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. *J Occup Med* 28:603-608.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1987a. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. *Environ Res* 43:290-307.
- *Wallace LA, Pellizzari E, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 335 persons in New Jersey. *Atmos Environ* 19:1651-1661.
- *Wallace LA, Pellizzari E, Leaderer B, et al. 1987b. Emissions of volatile organic compounds for building materials and consumer products. *Atmos Environ* 21:385-395.
- *Wallace LA, Pellizzari E, Sheldon L, et al. 1986a. The total exposure assessment methodology (TEAM) study: Direct measurement of personal exposures through air and water for 600 residents of several U.S. cities. In: Cohen Y, ed. *Pollutants in a multimedia environment*. New York, NY: Plenum Press, 289-315.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986b. Total exposure assessment methodology (TEAM) study: Personal exposures, indoor-outdoor relationships, and breath levels in volatile organic compounds in New Jersey. *Environment International* 12:369-387.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1988. The California team study breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, California, USA. In: *Proceedings of Human Exposure Assessment*.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. *Environ Res* 50:37-55.
- *Wallace LA, Zweidinger R, Erickson M, et al. 1982. Monitoring individual exposure: Measurements of volatile organic compounds in breathing-zone air, drinking water and exhaled breath. *Environment International* 8:269-328.
- *Walsh JJ, Conrad ET, Stubing HD, et al. 1988. Control of volatile organic compound emissions at a landfill site in New York: A community perspective. *Waste Management and Research* 6:23-34.

8. REFERENCES

- Walter PA, Craigmill A, Villaume J, et al. 1976. Chlorinated hydrocarbon toxicity (1,1,1-trichloroethane, trichloroethylene and tetrachloroethylene): A monograph. Prepared for the Consumer Product Safety Commission, Bureau of Biomedical Science, Bethesda, MD. NTIS PB257-185.
- Warner JR, Hughes TJ, Claxton LD. 1988. Mutagenicity of 16 volatile organic chemicals in a vaporization technique with *Salmonella typhimurium* TA100. *Environ Mol Mutagen* 11(Suppl 11):111-112.
- Watanabe Y. 1983. [Studies on biological effects of hydrocarbons. III. Chlorinated hydrocarbons.] *Kanagawa-ken Taiki Osen Chosa Kenkyu Hokoku* 25:146-152. (Japanese)
- Watson RT, Machado G, Fischer S, et al. 1977. A temperature dependent kinetics study of the reaction of OH with CH₂ClF, CHCl₂F, CHClF₂, CH₃CCL₃, CH₃CF₂Cl, and CF₂ClCFCl₂. 81:256-262.
- *Weast RC, ed. 1988. CRC handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, Inc., C-266.
- Weidner J. 1985. Exploration and disposal of halogenated hydrocarbon contamination of groundwater. *Water Supply* 3:165-172.
- Westerberg E, Larsson L. 1982. Use of automated head-space gas chromatography for determination of 1,1,1-trichloroethane in rat blood and brain tissue. *Int J Environ Anal Chem* 12:3-4.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. *Journal of the American Water Works Association* 76:52-59.
- Whim BP. 1982. Halogenated solvents in industry control of solvent exposures. In: Collings AJ, Luxon SG, eds. *Safe Use of Solvents*. London, UK: Academic Press, Inc., 239-250.
- *Whitehead LW, Ball GL, Fine LJ, et al. 1984. Solvent vapor exposures in both spray painting and spray gluing, and associated operations. *Am Ind Hyg Assoc J* 45:767-772.
- *Whittaker SG, Zimmermann FK, Dicus B, et al. 1990. Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae**an interlaboratory assessment of 12 chemicals. *Mutat Res* 241:225-242.
- *WHO. 1992. 1,1,1-Trichloroethane. Environmental Health Criteria No. 136. World Health Organization, Geneva, Switzerland. 117p.
- Wilcosky TC, Simonsen NR. 1991. Solvent exposure and cardiovascular disease. *Am J Ind Med* 19:569-586.
- *Williams GM, Mori H, McQueen CA. 1989. Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. *Mutat Res* 221:263-286.
- Wilmer JW, Reitz RH, Gilbert JR, et al. 1993. 1,1,1-Trichloroethane: determination of solvent concentrations in rat brain following inhalation exposure. *Neurotoxicology* 14:547.
- *Wilson BH, Pogue DW. 1987. Biological removal of trichloroethylene from contaminated groundwater. Presented before the Division of Environmental Chemistry, American Chemical Society, New Orleans, LA, Aug. 30-Sept. 4, 1987. Preprint Extended Abstract 194:628-631.
- Wilson HK, Ottley TW. 1981. The use of a transportable mass spectrometer for the direct measurement of industrial solvents in breath. *Biomed Mass Spectrom* 8:606-610.
- *Wilson JT, McNabb JF, Wilson RH, et al. 1983. Biotransformation of selected organic pollutants in ground water. *Developments of Industrial Microbiology* 24:225-233.

8. REFERENCES

- *Wilson SC, Burnett V, Waterhouse KS, et al. 1994. Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol* 28(2):259-266.
- *Windham GC, Shusterman D, Swan SH, et al. 1991. Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20:241-259.
- Wise MG, Fisher JG, de la Pena AM. 1983. Trichloroethane (TCE) and central sleep apnea: A case study. 11:101-104.
- Witmer C, Cooper KR, Jowa L, et al. 1990. Oral toxicity of trans-1,2-dichloroethylene (DCE) and 1,1,1-trichloroethane (TCE) given alone and in combination to rats. In: *Proceedings of the 29th Society of Toxicology Annual Meeting*, Miami Beach, FL, February 12-16, 1990. Society of Toxicology, Washington DC, P203.
- *Wodka RM, Jeong EWS. 1991. Myocardial injury following the intentional inhalation of typewriter correction fluid. *Military Med* 156:204-205.
- *Wofsy SC, Fan SM, Blake DR, et al. 1994. Factors influencing atmospheric composition over subarctic North America during summer. *J Geophys Res (Atmos)* 99(D1): 1887-1897.
- *Wolf K, Chesnutt Tw. 1987. Chlorinated solvents: Market interactions and regulation. *Journal of Hazardous Materials* 15: 137- 161.
- *Wood JA, Porter ML. 1987. Hazardous pollutants in Class II landfills. *J Air Pollut Control Assoc* 37:609-615.
- *Wood PR, Lang RF, Payan IL. 1985. Anaerobic transformation, transport and removal of volatile chlorinated organics in ground water. In: Ward CH, Giger W, McCarty PL, eds. *Ground Water Quality*. New York, NY: John Wiley and Sons, Inc., 493-511.
- *Woolverton WL, Balster RL. 1981. Behavioral and lethal effects of combinations of oral ethanol and inhaled 1,1,1-trichloroethane in mice. *Toxicol Appl Pharmacol* 59: 1-7.
- Woolverton WL, Hassoun JK, Schuster CR. 1982. Conditioned flavor avoidance in rats induced by inhalation of 1,1,1-trichloroethane. In: *Proceedings of the 66th Federation of American Societies for Experimental Biology Annual Meeting*, New Orleans, LA, April 15-23, 1982. *Fed Proc* March:P7661.
- Woolverton WL, Pross RS, Balster RL. 1980. Interactions between ethanol and inhaled 1,1,1-trichloroethane in mice. In: *Proceedings of the 64th Federation of American Societies for Experimental Biology Annual Meeting*, Anaheim, CA, April 13-18, 1980. *Fed Proc* March:P1333.
- *Wrensch M, Swan S, Lipscomb J, et al. 1990b. Pregnancy outcomes in women potentially exposed to solvent-contaminated drinking water in San Jose, CA. *Am J Epidemiol* 131:283-300.
- *Wrensch M, Swan S, Murphy PJ, et al. 1990a. Hydrogeologic assessment of exposure to solvent-contaminated drinking water: Pregnancy outcomes in relation to exposure. *Arch Environ Health* 45:210-216.
- *Wright MF, Strobl DJ. 1984. 1,1,1-Trichloroethane cardiac toxicity: Report of a case. *J Am Osteopath Assoc* 84:285-288.
- *WSDHS. 1989. Written communication (June 8) regarding Wisconsin groundwater quality standards for 1,1,1-trichloroethane. Madison, WI: State of Wisconsin Department of Health and Social Services, Division of Health.

8. REFERENCES

- *Xia L, Yu T. 1992. Study of the relationship between hepatotoxicity and free radical induced by 1,1,2-trichloroethane and 1,1,1-trichloroethane in rat. *Biomed Environ Sci* 5:303-313.
- *Xiao H, Levine SP. 1993. Application of computerized differentiation technique to remote-sensing Fourier transform infrared spectrometry for analysis of toxic vapors. *Anal Chem* 65(17):2262-2269.
- *Yao CCD, Haag WR. 1991. Rate constants for direct reactions of ozone with several drinking water contaminants. *Water Res* 25(7):761-774.
- *York RG, Sowry BM, Hastings L, et al. 1982. Evaluation of teratogenicity and neurotoxicity with maternal inhalation exposure to methyl chloroform. *J Toxicol Environ Health* 9:251-266.
- *Young DR. 1978. Priority pollutants in municipal wastewaters. Annual Report. South California Coastal Water Project, 103-112.
- *Young DR, Gossett RW, Baird RB, et al. 1983. Wastewater inputs and marine bioaccumulation of priority pollutant organics off Southern California. In: *Water chlorination: Environ Impact Health Effects*, 871-884.
- Young P, Parker A. 1984. Vapors, odors, and toxic gases from landfills. American Society for Testing and Materials Special Technical Publication 851, 24-41.
- *Zaki MH. 1986. Groundwater contamination with synthetic organic compounds and pesticides in Suffolk county. *Northeastern Environmental Science* 5: 15-22.
- *Zimmermann FK, Scheel I. 1981. Induction of mitotic gene conversion in strain D7 of *Saccharomyces cerevisiae* by 42 coded chemicals. *Prog Mutat Res* 1:481-490.
- Zoeteman BCJ, DeGreef E, Brinkman FJJ. 1981. Persistence of organic contaminants in ground water: Lessons from soil pollution incidents in the Netherlands. *Sci Total Environ* 21:187-202.
- Zoeteman BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere* 9:231-249.
- *Zweidinger R, Erickson M, Cooper S, et al. 1983. Direct measurement of volatile organic compounds in breathing-zone air, drinking water, breath, blood and urine. Report. Washington, DC: U.S. Environmental Protection Agency. EPA 600/4-82-015.